

ZOSAN, THE MASCOT OF "ZOJIRUSHI"
LOVED IN THE WORLD.

ZOSAN was introduced in 2003. ZOSAN is a 9 years old boy, cheerful sometimes mischievous and healthy friendly boy. ZOSAN appeared in Japanese printed materials at first, but soon later it started to be used in America, Hong Kong, Taiwan, China, Thailand, Vietnam and Indonesia. And now ZOSAN is loved in the world having many variations such as wearing Kung-Fu outfit, Dragon Dance costume and Indonesian student's outfit with Garuda cap and so on.



OVERSEAS OFFICES

Zojirushi America Corporation

19310 Pacific Gateway Dr. Suite 101, Torrance, CA 90502
Tel: 1-310-769-1900 / 800-733-6270 (Toll free) Fax: 1-310-323-5522
e-mail: info@zojirushi.com <http://www.zojirushi.com>

Zojirushi SE Asia Corporation Ltd.

4th Floor, Saha-Union Building, No.1828 Sukhumvit Road,
Phrakonong Tai, Phrakonong, Bangkok 10260, Thailand
Tel: 66-2741-4818 Fax: 66-2741-4819
e-mail: info@zojirushi.co.th
<http://www.zojirushi-seasia.com> (Eng) <http://www.zojirushi.co.th> (Thai)

Zojirushi Taiwan Corporation

11F., No. 4&6, Sec. 3, Minquan East Road, Zhongshan District, Taipei, Taiwan
Tel: 886-2-2506-9009 Fax: 886-2-2506-8980
e-mail: customer@zojirushi.com.tw <http://www.zojirushi.com.tw>

- ★JAN code: The 6-digit number after the model number (e.g.:AA05) is the last 6 digits of the JAN code number.
The first 7 digits for all models are "4974305".
- ★2 capital letters listed after the color name are the color code.
- ★Contents of this catalog may change without notice.
- ★The product colors in this catalog may differ from the actual products.

Zojirushi Shanghai Corporation

Unit 1108 Henderson 688 square, No.688 Nanjing Road West, Jing'an District, Shanghai, China
Tel: 86-21-6190-7755 Fax: 86-21-6190-7733
e-mail: zojirushi@zoshanghai.com.cn
<https://www.zojirushi-china.com/>

ZOJIRUSHI CORP. KOREA BRANCH

Wework Hongdae 4F-118, 147, Yanghwa-ro, Mapo-gu, Seoul, 03995, Republic of Korea
Tel: +82-10-3222-2025 e-mail: y.kim@zojirushi.co.jp
<https://www.zojirushi.co.kr/view.html?uid=16>



ISO 9001 No: JET-0297
Zojirushi Corporation
(P&D Department)



ISO 14001 No: E98-063
Zojirushi Corporation
(P&D Department)



ISO 9001 Cert. No: TH021443
ISO 14001 Cert. No: TH022239
Union Zojirushi Co., Ltd.



-Since 1918, Japan-

2025 Product Catalog

- Stainless Steel Vacuum Insulated Products (Bottles, Mugs, Food Jars, Lunch Jars, and others)
- Glass Lined Vacuum Insulated Products (Air Pots, Handy Pots)
- Catering Products



ZOJIRUSHI HISTORY

2018
100th Anniversary

Zojirushi lists shares on the First Section of the Tokyo Stock Exchange



1986

Zojirushi lists shares on the Second Section of the Osaka Securities Exchange; corporate identity is introduced; Union Zojirushi Co., Ltd. in Thailand, is established



1995

Zojirushi-Simatelex Co., Ltd. and Zojirushi Hong Kong Co., Ltd. are established

1981

Stainless steel dual-layer vacuum pipes are launched



1968

Osaka Factory is opened

1973

Air Pot is launched, Zojirushi receives high acclaim for this push button-type beverage dispenser




1963

Japan's first automated bottle production equipment is developed, mass production of vacuum bottle interior glass begins



2014

Zojirushi SE Asia co., Ltd. is established in Thailand



2008

Zojirushi celebrates 90th anniversary; Vacuum Bottles & Air Pots Pavilion is established



2003

Zojirushi Shanghai Corporation is established

1987

Zojirushi America Corporation is established



2002

Zojirushi Taiwan Corporation, is established




1961

Name changed to Zojirushi Corporation; elephant adopted as trademark

1918

Ichikawa Brothers Trading Company is established in Osaka




ESTABLISHED IN 1918

The history of the Zojirushi goes back to a glass-lined vacuum bottle created in 1918. This bottle for home use was created using vacuum insulation - a breakthrough technology at the time. In the years since then, Zojirushi has established itself as a top manufacturer of vacuum bottles and has continued to leverage the latest technologies to create a constant stream of leading-edge products that make life more comfortable and convenient.

Although much has changed and lifestyles have become more varied, our corporate philosophy of "Creating a quality of life." continues to be reflected in our many products and services.

GLOBAL NETWORK





Twist-Open

SU-AA36 0.36L /48 0.48L


New

Instruction Manuals
JPN ENG CHN KORBLACK: BA
-AA36 : 227508
-AA48 : 227553SUNSET BEIGE: CP
-AA36 : 227485
-AA48 : 227539POPPY RED: RM
-AA36 : 227461
-AA48 : 227515ICY PURPLE: VM
-AA36 : 227492
-AA48 : 227546PALE CITRUS: YM
-AA36 : 227478
-AA48 : 227522BLUE: AA
-AA48 : 227560Gasket-Free
One-Piece Lid

Dishwasher-safe

Thermo Ring

SU-AA type

**Reduces heat
dissipation and
improves heat /cold
retention.**

SM-GS60 0.6L /72 0.72L


New

Instruction Manuals
JPN ENG CHN KORBLACK: BA
-GS60 : 227621
-GS72 : 227652DEEP TURQUOISE: GM
-GS60 : 227591
-GS72 : 227638ICY PURPLE: VM
-GS60 : 227614
-GS72 : 227645WHITE: WA
-GS60 : 227607Gasket-Free
One-Piece Lid

Dishwasher-safe

Gasket-Free One-Piece Lid

SU-A, SM-G, SM-R, SM-M type

**Gasket-Free ensures
no accidental leaks,
and helps prevent
the loss of parts.**

SM-RS50 0.5L /65 0.65L

New

Instruction Manuals
JPNGasket-Free
One-Piece Lid

Dishwasher-safe

NAVY: AD
-RS50 : 226488
-RS65 : 226518GREEN: GA
-RS50 : 226471
-RS65 : 226501PINK: PA
-RS50 : 226464ECRU: WZ
-RS50 : 226495
-RS65 : 226525

SM-RB60E 0.6L /75E 0.75L

New

Instruction Manuals
JPN ENG CHN KORGasket-Free
One-Piece Lid

Dishwasher-safe

Export
Exclusive
ItemLIGHT BLUE: AL
-RB60E : 718464
-RB75E : 718518BLACK: BA
-RB60E : 718488
-RB75E : 718532PINK: PA
-RB60E : 718457
-RB75E : 718501WHITE: WA
-RB60E : 718471
-RB75E : 718525STAINLESS: XA
-RB60E : 718495
-RB75E : 718549

SM-NAE48SA 0.48L

Instruction Manuals
ENG CHN FRE GER SPA NLD DAN SWE ITA NOR ARALimited
StockExport
Exclusive
ItemIchimatsu White: WZ
-NAE48SA : 713971Ichimatsu Black: BZ
-NAE48SA : 713988Ichimatsu Red: RZ
-NAE48SA : 713995Ichimatsu Blue: AZ
-NAE48SA : 714008Navy: AD
-JF36 : 217769
-JF48 : 217790Floral Pink: PM
-JF36 : 217776
-JF48 : 217806White: WA
-JF36 : 217783
-JF48 : 217813

SM-JTE34 0.34L /46 0.46L

Export
Exclusive
ItemInstruction Manuals
ENG CHN KORPink Champagne: PX
-JTE34 : 709219
-JTE46 : 709233Deep Blue: AD
-JTE34 : 709202
-JTE46 : 709226Tealeaf
Filter

SM-AGE35 0.36L /50 0.5L

Export
Exclusive
ItemInstruction Manuals
ENG CHN KORTealeaf
StorageClear Pink: PC
-AGE35 : 711960
-AGE50 : 712011White: WA
-AGE35 : 711946
-AGE50 : 711991Clear Blue: AC
-AGE35 : 711939
-AGE50 : 711984Stainless: XA
-AGE35 : 711922
-AGE50 : 711977Dark Brown: TD
-AGE35 : 711953
-AGE50 : 712004

SM-MS25 0.25L /35 0.35L

New

Instruction Manuals
JPN ENG CHN KORGasket-Free
One-Piece Lid

Dishwasher-safe

MINT GREEN: GM
-MS25 : 227706
-MS35 : 227713SHEER GRAY: HM
-MS25 : 227669
-MS35 : 227676LILAC PURPLE: VM
-MS25 : 227683
-MS35 : 227690

Mug-Cup

SE-KAE48 0.48L

Instruction Manuals
ENG CHN KORExport
Exclusive
ItemTealeaf
FilterOFF WHITE: WZ
-KAE48 : 715531PRUSSIAN BLUE: AZ
-KAE48 : 715548BROWN: TA
-KAE48 : 715555

Bottle With Cup

SS-PCE20 0.20L /25 0.25L

Instruction Manuals
ENG CHN KORExport
Exclusive
ItemPurple Pink: VV
-PCE20 : 713377Metallic Blue: AH
-PCE25 : 713384

SV-GR35 0.35L /50 0.5L

Instruction Manuals
JPN ENG CHN KORAg⁺
Antibacterial
Cup
(plastic cup
interior)Blue: AA
-GR35 : 211095
-GR50 : 211118Stainless: XA
-GR35 : 211088
-GR50 : 211101

SV-GR50E 0.5L

Instruction Manuals
ENG CHN KORExport
Exclusive
ItemBLUE: AA
-GR50E : 718099GREEN: GA
-GR50E : 718105PINK: PA
-GR50E : 718112PURPLE: VA
-GR50E : 718129Ag⁺
Antibacterial
Cup
(plastic cup
interior)

SJ-TG08 0.8L /10 1.0L

Instruction Manuals
JPN ENG CHN KORExport
Exclusive
ColorBlue: AA
-TG08 : 211125
-TG10 : 211132Stainless: XA
-TG08 : 713421
-TG10 : 713438

SF-CC13 1.3L /15 1.5L /18 1.8L /20 2.0L

Instruction Manuals
JPN ENG CHN KORTake-Apart
Shield StopperStainless: XA
-CC13 : 196101
-CC15 : 196118
-CC18 : 196125
-CC20 : 196132Metallic Blue: AH
-CC15 : 201034Take-Apart
Shield Stopper

SC-MC60 0.6L

Instruction Manuals
JPN ENG CHN KORExport
Exclusive
ColorAg⁺
Antibacterial
CupPinkII: PZ
-MC60 : 711526Yellow: YA
-MC60 : 711809White: WA
-MC60 : 711793BlueII: AZ
-MC60 : 711519

Model No.		SU-AA36	SU-AA48	SM-GS60	SM-GS72	SM-RS50	SM-RS65	SM-RB60E	SM-RB75E	SM-NAE48SA	SM-JF36	SM-JF48	SM-JTE34	SM-JTE46	SM-AGE35	SM-AGE50	SM-MS25	SM-MS35		SE-KAE48	SJ-JS08	SJ-JS10	SS-PCE20	SS-PCE25	SV-GR35	SV-GR50	SV-GR50E	SJ-TG08	SJ-TG10	SF-CC13	SF-CC15	SF-CC18	SF-CC20	SC-MC60	
Features	Wide Mouth (cm)	4	4	4	4	4	4	4	4	4	4	4	4	4	5	5	3.5	3.5		6	4	4	3	3	4	4	4	5	5	7	7	7	7	5	
	SLiT*1																																		
	Thermo Ring																																		
	Nonstick Coating																																		
	Whole-Body Washable*2																																		
	DishWasher-Safe																																		
	One-Piece Lid																																		
	Take-Apart Stopper																																		
	Plastic Drinking Mouth																																		
Tealeaf Filter																																			
Tealeaf Storage																																			
Capacity (liters)		0.36	0.48	0.6	0.72	0.5	0.65	0.6	0.75	0.48	0.36	0.48	0.34	0.46	0.36	0.5	0.25	0.35		0.48	0.82	1.03	0.2	0.25	0.35	0.5	0.5	0.5	0.8	1.0	1.3	1.5	1.8	2.0	0.6
Packing (pcs./carton)		16	16	12	12	12	12	12	12	12	12	12	12	12	12	12	16	16		12	12	12	12	12	12	12	12	12	12	12	12	6	6	6	12
Weight	Net (kgs.)	3.9	4.4	4.1	4.5	3.6	4.2	4.0	4.6	3.9	3.4	3.9	3.5	4.0	3.3	3.8	3.0	3.6		6.0	5.5	6.1	2.6	2.8	3.7	4.2	4.2	6.5	7.0	11.5	6.0	6.5	7.0	5.5	
	Gross (kgs.)	4.1	4.7	4.2	4.8	4	4.6	4.3	4.9	4.1	3.6	4.1	3.7	4.2	3.6	4.0	3.2	3.7		6.5	6.0	6.5	2.8	3.1	3.9	4.5	4.4	7.0	7.5	12.5	7.0	7.5	8.0	6.0	
Measurement (m³)		0.018	0.021	0.019	0.022	0.019	0.023	0.022	0.025	0.017	0.012	0.015	0.012	0.015	0.014	0.017	0.013	0.016		0.033	0.030	0.034	0.010	0.012	0.016	0.020	0.019	0.031	0.035	0.047	0.026	0.029	0.031	0.030	
Retention	Hot*3	88°C@1hr./ 73°C@6hr.	89°C@1hr./ 77°C@6hr.	88°C@1hr./ 73°C@6hr.	88°C@1hr./ 75°C@6hr.	87°C@1hr./ 71°C@6hr.	88°C@1hr./ 74°C@6hr.	88°C@1hr./ 73°C@6hr.	88°C@1hr./ 75°C@6hr.	87°C@1hr./ 71°C@6hr.	86°C@1hr./ 66°C@6hr.	87°C@1hr./ 70°C@6hr.	86°C@1hr./ 66°C@6hr.	87°C@1hr./ 70°C@6hr.	83°C@1hr./ 60°C@6hr.	87°C@1hr./ 64°C@6hr.	85°C@1hr./ 70°C@6hr.			83°C@1hr./ 56°C@6hr.	80°C@6hr./ 58°C@24hr.	82°C@6hr./ 62°C@24hr.	71°C@6hr./ 39°C@24hr.	74°C@6hr./ 45°C@24hr.	71°C@6hr./ 41°C@24hr.	76°C@6hr./ 48°C@24hr.	76°C@6hr./ 48°C@24hr.	76°C@6hr./ 50°C@24hr.	79°C@6hr./ 54°C@24hr.	77°C@6hr./ 53°C@24hr.	79°C@6hr./ 56°C@24hr.	80°C@6hr./ 59°C@24hr.	81°C@6hr./ 62°C@24hr.	75°C@6hr./ 46°C@24hr.	
	Cold*4	8°C@6hr.	8°C@6hr.	8°C@6hr.	7°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	7°C@6hr.	8°C@6hr.	10°C@6hr.	9°C@6hr.	9°C@6hr.	9°C@6hr.	10°C@6hr.	9°C@6hr.	9°C@6hr.	8°C@6hr.		7°C@1hr.	7°C@6hr.	7°C@6hr.	9°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	7°C@6hr.	7°C@6hr.	9°C@6hr.			
Unit Size*5		6.5x6.5x16.5	6.5x6.5x20.5	7x7x22	7x7x26	7x7x22	7x7x26.5	7x7x25	7x7x29.5	6.5x6.5x21.5	6.5x6.5x17	6.5x6.5x21.5	6.5x6.5x21.5	7x7x17	7x7x21.5	6x6x14.5	6x6x19		12.5x9x16	8x8x25	8.5x8.5x28.5	6x5.5x17.5	6.5x5.5x20	7x7x18	7x7x22.5	7x7x22.5	10.5x9x23	10.5x9x26.5	13x11.5x24	13x11.5x26.5	13x11.5x30	13x11.5x32.5	10x8.5x20		
Country of Origin		THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	CHINA	THAILAND		CHINA	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	

Two-Way Bottles

Two-Way Cup & Straw

Cup

Straw*

* For cold beverages only

Air Vent System

Air passageway

Easy to drink,
with no gurgling.

Drink flows
out twice as fast!

(Compared to ST-XB)

Two-Way : Cup & Straw

SC-ZT450.45L /600.60L

Instruction Manuals
JPNENGCHNKOR

Export
Exclusive
Color

Direct Drinking

Cup

Aqua Blue : AZ
-ZT60 : 215253

Direct Drinking

Cup

Black : BA
-ZT60 : 215246

Cup

Straw

Ag*6
Antibacterial
Cup & Straw

Direct Drinking

Cup

PinkII : PZ
-ZT45 : 711540

Direct Drinking

Cup

Lemon Yellow : YZ
-ZT45 : 711823

Direct Drinking

Cup

RedII : RZ
-ZT45 : 711533

Direct Drinking

Cup

Cyan Blue : AZ
-ZT45 : 711816

* Direct Drinking type is for cold beverages only.

Cool Bottles (for cold beverages only)

Direct Drinking (Spout Variations)

Regular

Smooth

Straw

Direct Drinking

SQ-DA30E0.32L

Instruction Manuals
ENGCHNKOR

Export
Exclusive
Item

BLUE: AA
-DA30E : 716934

PINK: PA
-DA30E : 716941

Straw
(Detachable)

SD-HB101.0L /151.5L

New

Instruction Manuals
JPN

LIME BLUE: AG
-HB10 : 226549
-HB15 : 226570

SKY BLUE: AL
-HB10 : 226556

BLACK: BA
-HB10 : 226532
-HB15 : 226563

Regular

SD-BE202.06L

New

Instruction Manuals
JPN

NAVY: AD
-BE20 : 226846

BLACK: BA
-BE20 : 226839

GRAY: HA
-BE20 : 226853

Regular

Ag*7
Antibacterial
Spout
(Stopper)

Model No.		SC-ZT45	SC-ZT60		SQ-DA30E	SD-HB10	SD-HB15	SD-BE20
Features	Wide Mouth (cm)	5	5		4	4.5	4.5	7
	SLIT*1	•	•		•			•
	Nonstick Coating	•	•			•	•	•
	Whole-Body Washable*2	•	•		•	•	•	•
	One-Piece Stopper				•	•	•	•
	Take-Apart Stopper				•			•
	Air Vent System					•	•	
Capacity (liters)		0.45	0.6		0.32	1.0	1.5	2.06
Packing (pcs./carton)		12	12		12	12	6	6
Weight	Net (kgs.)	6.4	6.9		3.2	8.0	5.0	7.0
	Gross (kgs.)	6.8	7.5		3.5	8.0	5.5	7.0
Measurement (m³)		0.034	0.039		0.022	0.041	0.028	0.046
Retention	Hot*3	72°C@6hr.	75°C@6hr.		—	—	—	—
	Cold*4	10°C(straw)/9°C(cup)@6hr.	9°C@6hr.		10°C@6hr.	8°C@6hr.	7°C@6hr.	7°C@6hr.
Unit Size*5		10x8.5x18(straw)/ 10x8.5x16(cup)	10x8.5x21(straw)/ 10x8.5x19(cup)		11.5x7x17	10.5x9.5x28.5	11.5x10.5x33	15x12.5x34
Country of Origin		THAILAND	THAILAND		THAILAND	THAILAND	THAILAND	THAILAND

*1. SLIT = Slim, Light and Thin.

*2. Do not soak under water.

*3. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C.

*4. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C.

*5. Listed external dimensions : width x depth x height in cm (approximate).

* See page 3 for descriptions of various functions.

*6. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Cup and Straw; Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1.

*7. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Spout (Stopper); Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1.

Food Jars



Stainless steel vacuum-insulated (double wall)



Whole-Body Washable
※Do not soak under water



Easy-to-clean interior



Take-Apart Stopper
SW-E type only

SW-EZE35 0.35L

Instruction Manuals
ENG CHN KOR

Export Exclusive Item



Green: GA
-EZE35 : 711847



Black: BA
-EZE35 : 711830

SW-KA30 0.3L /40 0.4L /52 0.52L

Instruction Manuals
JPN ENG CHN KOR

Export Exclusive Item



MATTE GREEN: GM
-KA30 : 222169
-KA40 : 222190
-KA52 : 222220



ICE GRAY: HL
-KA30 : 222183
-KA40 : 222213



BEIGE: CM
-KA30 : 222176
-KA40 : 222206
-KA52 : 222237



SW-KA52H 0.52L /75H 0.75L

Instruction Manuals
ENG CHN KOR

Export Exclusive Item



VINTAGE ROSE: PM
-KA52H : 717238
-KA75H : 717269



ICE GRAY: HL
-KA52H : 717245
-KA75H : 717276



MEDIUM GRAY: HM
-KA52H : 717252
-KA75H : 717283



Model No.	SW-EZE35	SW-EK26H	SW-KA30	SW-KA40	SW-KA52	SW-KA52H	SW-KA75H
Wide Mouth (cm)	6.5	6.5	7	7	7	7	7
Gasket Free One-Piece Stopper							
Capacity (liters)	0.35	0.26	0.3	0.4	0.52	0.52	0.75
Food Container (liters)	0.3	—	—	—	—	—	—
Packing (pcs./carton)	12	12	12	12	12	12	12
Weight	Net (kgs.)	8.0	3.9	4.3	4.7	5.3	6
	Gross (kgs.)	8.5	4.1	4.6	5	5.6	6.4
Measurement (m³)	0.054	0.015	0.018	0.021	0.023	0.023	0.028
Retention	Hot*1	57°C@6hr.	50°C@6hr.	58°C@6hr.	64°C@6hr.	67°C@6hr.	73°C@6hr.
	Cold*2	—	—	10°C@6hr.	9°C@6hr.	9°C@6hr.	8°C@6hr.
Unit Size*3	Pouch Size	21.5x12x20	9x9x11	9.5x9.5x11	9.5x9.5x12.5	9.5x9.5x14.5	9.5x9.5x18.5
Country of Origin	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

*1. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C.
*2. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C.
*3. Listed external dimensions : width x depth x height in cm (approximate).

●Do not soak under water.
●Do not place in dish washer or dish dryer.

Lunch Jars



Stainless steel vacuum insulated keep warm jar



Microwaveable Containers
※except lids



AG+ Antibacterial inner containers



Whole-Body Washable
※Do not soak under water

SL-MEE07

Instruction Manuals
ENG CHN KOR

Export Exclusive Item



Aqua Blue: AB
-MEE07 : 707413

SL-NC09

Instruction Manuals
JPN



Blue: AA
-NC09 : 705143



Stainless Silver: ST
-NC09 : 194718

SL-JAF14

Instruction Manuals
ENG CHN KOR

Export Exclusive Item



Silver: SA
-JAF14 : 704412



Gun Metallic: HG
-JAF14 : 704429



SL-GH18

Instruction Manuals
JPN



Black: BA
-GH18 : 213273



SL-XE20

Instruction Manuals
JPN



Navy: AD
-XE20 : 213266



Model No.		SL-MEE07	SL-NC09	SL-JAF14	SL-GH18	SL-XE20
Food Container (liters)	Rice	0.31	0.31	0.45	0.59	0.79
	Food	0.33	0.33	L: 0.3 S: 0.2	0.4	0.4
	Soup	—	0.2	0.28	0.28	0.28
Packing (pcs./carton)		12	12	6	6	6
Weight	Net (kgs.)	8.9	11.3	7.5	6.8	7.4
	Gross (kgs.)	9.4	11.8	8.0	7.0	8.0
Measurement (m³)		0.050	0.060	0.042	0.035	0.037
Heat Retention *1		53°C@6hr.	65°C@6hr.	67°C@6hr.	69°C@6hr.	71°C@6hr.
Unit Size*3		12.5x11x16	12.5x11x20.5	15x13.5x22	15x13.5x21	15x13.5x23
Pouch Size		25.5x12x33.5	24x12x36	16x16x24	—	—
Country of Origin		THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

*4. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Rice container, rice container lid, food container, soup container and soup container lid; Testing result: 99.9% of antibacterial effect; Test number: 214206124-1. ●Do not place in dish washer or dish dryer ●Do not soak under water



Air Pots

Press Down

SR-CC22 2.2L /30 3.0L Instruction Manuals JPN



Handy Pots

Lever-Style



Easy-Open

Lid opens easily by pinching the lock area, making it easy to fill with beverages and clean.



Take-Apart Stopper

Stopper can be taken apart for thorough cleaning.



Detachable Stopper



Coffee Dripper

SH-HC10 1.0L /15 1.5L /19 1.9L Instruction Manuals JPN ENG CHN KOR



SH-RA15 1.5L /19 1.9L Instruction Manuals JPN ENG CHN KOR



Stainless Steel Pot or Bottle Cleaning Detergent

Ensures easy and healthy clean-up by putting in the detergent together with lukewarm water. This keeps your pot or bottle sparkling clean.



• This cleaner is also good for cleaning stoppers
• 10g x 4 packs

Model No.	SR-CC22	SR-CC30	SH-HC10	SH-HC15	SH-HC19	SH-RA15	SH-RA19
Features	Wide Mouth (cm)	7	7	6.5	6.5	6.5	6.5
	Detachable Stopper			•	•	•	•
	Lever Style Stopper			•	•	•	•
	Easy-Open Lid			•	•	•	•
	Without Stopper	•	•				
	Coffee Dripper			•	•	•	•
Capacity (liters)	2.2	3.0	1.0	1.5	1.9	1.5	1.9
Packing (pcs./carton)	6	6	6	6	6	6	6
Weight	Net (kgs.)	10.6	11.9	5.5	6.0	6.5	6.5
	Gross (kgs.)	11.5	13.0	6.0	6.5	7.0	7.0
Measurement (m ³)	0.086	0.096	0.034	0.039	0.044	0.044	0.049
Retention	Hot*3	70°C@10hr./ 54°C@24hr.	74°C@10hr./ 59°C@24hr.	67°C@10hr./ 49°C@24hr.	73°C@10hr./ 58°C@24hr.	76°C@10hr./ 62°C@24hr.	75°C@10hr./ 60°C@24hr.
	Cold*4	8°C@10hr.	8°C@10hr.	9°C@10hr.	8°C@10hr.	9°C@10hr.	8°C@10hr.
	Unit Size*5	17.5x23x28.5	17.5x23x32.5	13x16.5x20	13x16.5x24.5	13x16.5x28	13.5x18x28.5
Country of Origin	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA

Tumblers

Gasket-Free One-Piece Lid



Gasket-Free ensures no accidental leaks, and helps prevent the loss of parts.

SX-JS30 0.3L /40 0.4L New

Instruction Manuals JPN



Wide mouth for easy filling and cleaning



SX-KA30 0.3L /40 0.4L

Instruction Manuals JPN



One-Piece Flip-Open

SX-LA72H 0.72L /89H 0.89L

Instruction Manuals ENG CHN KOR



SX-HA72H 0.72L /89H 0.89L

Instruction Manuals ENG CHN KOR



Tumbler with stainless steel vacuum insulated structure provides high keep warm and keep cool performance



Round and smooth mouth for drinking comfort



Keep Cool
Prevents condensation

Keep Warm
Outside will not become hot

SX-DN30 0.3L /45 0.45L /60 0.6L

Instruction Manuals JPN ENG CHN KOR



SX-FSE45 0.45L

Instruction Manuals ENG CHN KOR



Model No.	SX-JS30	SX-JS40	SX-KA30	SX-KA40	SX-LA72H	SX-LA89H	SX-HA72H	SX-HA89H	SX-DN30	SX-DN45	SX-DN60	SX-FSE45
Wide Mouth (cm)	6.0	6.0	6	6	8	8	8.5	8.5	7.5	7.5	7.5	7.7
DishWasher-Safe	•	•			•	•	*8	*8				
Lid*6							•	•				•
One-Piece Lid	•	•	•	•	•	•	•	•				
Tea Leaf Strainer												•
Capacity (liters)	0.32	0.42	0.3	0.4	0.72	0.89	0.72	0.89	0.3	0.45	0.6	0.45*7
Packing (pcs./carton)	12	12	12	12	12	12	12	12	24	12	12	12
Weight	Net (kgs.)	3.7	4.2	3.9	4.5	7.5	5.5	6.0	4.8	3.2	3.7	4.0
	Gross (kgs.)	4.1	4.6	4.2	4.8	7.0	6.0	6.5	5.0	3.4	4.0	4.3
Measurement (m ³)	0.02	0.023	0.019	0.022	0.034	0.039	0.032	0.035	0.025	0.018	0.022	0.02
Retention	Hot*3	56°C@6hr.	62°C@6hr.	54°C@6hr.	59°C@6hr.	68°C@6hr.	71°C@6hr.	—	42°C@1hr.	49°C@1hr.	55°C@1hr.	82°C@1hr.
	Cold*4	10°C@6hr.	9°C@6hr.	10°C@6hr.	10°C@6hr.	9°C@6hr.	9°C@6hr.	10°C@6hr.	8°C@1hr.	7°C@1hr.	7°C@1hr.	7°C@1hr.
Unit Size*5	7.5x7.5x19	7.5x7.5x22.5	8x8.5x17.5	8x8.5x21	9.5x9.5x24.5	9.5x9.5x28.5	9.5x10x19	9.5x10x22	8.5x8.5x10	8.5x8.5x14	8.5x8.5x18	8.5x9x17
Country of Origin	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

*1. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Handle; Testing result: 99.9% of antibacterial effect; Test number: 20215053087-1.

*2. Do not soak under water. *3. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C.

*4. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C. *5. Listed external dimensions: width x depth x height in cm (approximate).

*6. Not leak-proof. *7. Based on the maximum water level line. *8. Body only

Glass Lined Vacuum Insulated Products

Air Pots

Press Down



Just press lightly to dispense hot water.



Lever-Style



The lever-style pump makes it easier on the wrist to pump.



Fold Down Handle



360° Swivel Base



Pump Lever Safety Lock



Wide Body With Long Nose



Tilt Leak Prevention

Has safety valve to minimize hot water spillage when tilted.



Detachable Lid



Detachable Stopper



Detachable Lid & Stopper



Detachable Lid & Brew-Thru Stem Stopper




Without Stopper

Easy to wash.



Heat Retention of the Air Pot (VRKE-30N)

The heat retention is measured by filling the refill glass with hot water at a starting temperature of 95°C±1°C and left in a room at a temperature of 20°C±2°C and measured.



Press Down

VRKE-30N 3.0L

• Comes with a stainless steel stem stopper



Sweet Pea: FL
-30N : 712202



Mint Gray: HM
-30N : 708113



Camellia: FC
-30N : 707277



Ballerina Flower: FH
-30N : 700957



Symphony Flower: FS
-30N : 707512



Beige: CA
-30N : 706331



Herb Brown: TD
-30N : 700964



Herb Cacao: TK
-30N : 704740



Gold Brown: TZ
-30N : 707895



UrushiIII: BY
-30N : 709394

Export Exclusive Item



Fold Down Handle



Wide Body With Long Nose



360° Swivel Base



Detachable Stopper



Pump Lever Safety Lock



Press Down

AAPE-19 1.85L /22 2.2L

Limited Stock (AAPE-22) Export Exclusive Item

AB-RC22 2.2L /30 3.0L

AB-RY22 2.2L



Orchid: OK
-19 : 701336
-22 : 705419



Herb Cacao: TK
-19 : 702159
-22 : 705426



Fold Down Handle



Pump Lever Safety Lock



360° Swivel Base



Detachable Lid & Stopper



WREATH FLOWER: FW
-RC22 : 223814
-RC30 : 223838



MATTE BEIGE: CM
-RC22 : 223821
-RC30 : 223845



Fold Down Handle



Tilt Leak Prevention



360° Swivel Base



Detachable Lid



Pump Lever Safety Lock



Without Stopper



GRACEFUL FLOWER: FZ
-RY22 : 223852



MATTE SILVER: SM
-RY22 : 223869



Fold Down Handle



Tilt Leak Prevention



360° Swivel Base



Detachable Lid



Pump Lever Safety Lock



Without Stopper

VRKE-30E 3.0L

• Comes with a stainless steel stem stopper



Satin Leaf: XS
-30E : 707215

Export Exclusive Item



Fold Down Handle



Wide Body With Long Nose



360° Swivel Base



Detachable Stopper



Pump Lever Safety Lock



Lever-Style

AASB-19A 1.85L



Herb Cacao: TK
-19A : 701541

Export Exclusive Item



Fold Down Handle



Pump Lever Safety Lock



360° Swivel Base



Detachable Lid & Brew-Thru Stem Stopper

Model No.		AAPE-19	AAPE-22	AB-RC22	AB-RC30	AB-RY22	VRKE-30N	VRKE-30E	AASB-19A
Features	Without Stopper			●	●	●	●	●	
	Press Down Style	●	●	●	●	●	●	●	
	Tilt Leak Prevention			●	●	●	●	●	
	Lever-Style Pump								●
Capacity (liters)		1.85	2.2	2.2	3.0	2.2	3.0	3.0	1.85
Packing (pcs./carton)		8	8	6	6	6	6	6	6
Weight	Net (kgs.)	12.0	12.5	10.5	11.5	11.0	12.0	12.0	9.5
	Gross (kgs.)	13.5	14.0	11.5	12.5	12.0	13.5	13.5	11.0
Measurement (m³)		0.101	0.105	0.099	0.113	0.103	0.113	0.113	0.081
Replacement Glass		FSLD-1900	FSK-2200	FVZA-2200	FABF-30	FVPA-2200	FAAV-30	FAAV-30	FSLD-1900
Unit Size*		15.5×20×37	15.5×20×38.5	18.5×24.5×31	18.5×24.5×35.5	18.5×24.5×32	18.5×23.5×38.5	18.5×23.5×38.5	15.5×20×38
Country of Origin		JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

*Listed external dimensions: width x depth x height in cm (approximate).
● Do not place in dish washer or dish dryer.

Handy Pots



Twist Open

Twist to open and close.





Push-Type

Just press lightly to open and close the stopper.





Easy Touch

Just press lightly to open and close the stopper.





Lever-Style

Easy-to-use with one touch.





Coffee Dripper

The wide mouth lets you place a coffee dripper directly on top.



Dishwasher Safe
(except lid)

The product can be washed in a dishwasher (except the lid).



360° Swivel Base

Dispenser turns 360° for added convenience.



Twist Open

AHGB-10D 1.0L /13 1.3L Export Exclusive Item



Lily Cacao: TF
-10D : 715371



Kiriko Gray: HG
-10D : 713087



Kiriko Black: BG
-10D : 713094



Red: RA
-10D : 712936



White: WB
-10D : 712943



Gold Brown: TZ
-10D : 707826



Hanabi: BF
-10D : 709332



Rose Beige: CH
-10D : 709363



Rose Brown: TP
-10D : 709356

Model No.		AHGB-10D	AHGB-13
Features	Push-Type		
	Easy Touch		
	Lever-Style		
	Twist Open		
	Coffee Dripper	●	●
Capacity (liters)		1.0	1.3
Packing (pcs./carton)		12	12
Weight	Net (kgs.)	10.5	12.0
	Gross (kgs.)	11.5	13.0
Measurement (m³)		0.089	0.101
Replacement Glass		FTV-1000	FSU-1300A
Unit Size*		13.5x18x26.5	13.5x18x30
Country of Origin		JAPAN	JAPAN

*Listed external dimensions: width x depth x height in cm (approximate).
●Do not place in dish washer or dish dryer.

Twist Open

AHGB-10D 1.0L /13 1.3L Export Exclusive Item



Lotus Silver: SF
-10D : 710550



Lotus Black: BZ
-10D : 710543



Edelweiss: WE
-10D : 710406



Gold Corsage: BN
-10D : 710413



Herb Cacao: TK
-10D : 704788
-13 : 701657



Wheat Brown: TW
-10D : 708380



Black: BL
-10D : 708311



UrushiII: BY
-10D : 709387



Momiji: FM
-10D : 711649



Sasa: FB
-10D : 711632



White Ballerina: FC
-10D : 706263
-13 : 705631



Cocktail Rose: FW
-13 : 705648



Royal Orchid: FG
-10D : 705495



Beige: CA
-10D : 704771
-13 : 706393



Herb Brown: TD
-10D : 706232
-13 : 704917



Satin Leaf II: XT
-10D : 710567



Push-Type

AH-EAE10 1.0L Export Exclusive Item



Silver: SA
-10 : 714039



Black: BA
-10 : 714046



Red: RA
-10 : 714053



Gold: NA
-10 : 714060

AH-FAE10 1.0L Export Exclusive Item



IMONO BLACK: BZ
-10 : 715357

AGYE-10 1.0L /13 1.3L /16 1.55L /19 1.85L Export Exclusive Item



Symphony Flower: FN
-10 : 702869



Jewel Silver: SJ
-10 : 703194



Herb Cacao: TK
-10 : 701756
-13 : 702173
-16 : 702296
-19 : 702302



Herb Brown: TD
-10 : 702166
-13 : 702180
-16 : 702890
-19 : 704900



Gold Brown: TZ
-10 : 707833
-13 : 707840
-16 : 707857
-19 : 707864



Easy Touch

AFFB-10 1.0L /13 1.3L /16 1.55L /19 1.85L Export Exclusive Item



Ichimatsu White: WZ
-10 : 714077



Ichimatsu Black: BZ
-10 : 714084



Satin Leaf II: XT
-10 : 711656
-13 : 714381
-16 : 714398
-19 : 714404



All White: WD
-10 : 700582



Lever-Style

AH-SA10 1.0L Export Exclusive Item



Brown: TA
-SA10 : 712646



Ivory: CB
-SA10 : 712653

AG-LC10 1.0L



Pink: PA
-LC10 : 223890



MATTE SILVER: SM
-LC10 : 223906

AG-KB10 1.0L

Instruction Manuals JPN



White: WB
-KB10 : 023596024243 (UPC)*



Black: BA
-KB10 : 023596024120 (UPC)*

* This product has a UPC code instead of a JAN code



AFFB-10E 1.0L /13E 1.3L /16E 1.55L /19E 1.85L New Export Exclusive Item



SATIN LEAF: XS
-10E : 718723
-13E : 718730
-16E : 718747
-19E : 718754



Twist Open

SLE-1000E 1.0L /1300E 1.3L /1600E 1.55L /1900E 1.85L Export Exclusive Item



Satin Leaf: XS
-1000E : 704627
-1300E : 704634
-1600E : 704641
-1900E : 704658



Model No.	AH-EAE10	AH-FAE10	AGYE-10	AGYE-13	AGYE-16	AGYE-19	AH-SA10	AG-LC10	AG-KB10		AFFB-10	AFFB-13	AFFB-16	AFFB-19	AFFB-10E	AFFB-13E	AFFB-16E	AFFB-19E	SLE-1000E	SLE-1300E	SLE-1600E	SLE-1900E
Features	Push-Type	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●				
	Easy Touch										●	●	●	●	●	●	●	●				
	Lever-Style								●													
	Twist Open																		●	●	●	●
	Coffee Dripper										●	●	●	●	●	●	●	●				
Capacity (liters)	1.0	1.0	1.0	1.3	1.55	1.85	1.0	1.0	1.0		1.0	1.3	1.55	1.85	1.0	1.3	1.55	1.85	1.0	1.3	1.55	1.85
Packing (pcs./carton)	6	12	12	12	12	12	12	12	12		12	12	12	12	12	12	12	12	12	12	12	12
Weight	Net (kgs.)	7.5	12.0	11.5	12.5	14.0	15.5	12.0	11.5	12.0	12.0	13.0	14.5	16.0	12.0	13.0	14.5	16.0	11.5	13.0	14.5	16.0
	Gross (kgs.)	8.5	13.5	12.5	14.0	15.5	17.0	13.0	12.0	13.0	13.0	14.5	16.0	17.5	13.0	14.5	16	17.5	13.0	14.5	16.0	17.5
Measurement (m³)	0.052	0.104	0.088	0.102	0.115	0.125	0.107	0.084	0.085		0.090	0.099	0.110	0.121	0.090	0.098	0.111	0.191	0.094	0.100	0.105	0.109
Replacement Glass	FTV-1000	FTV-1000	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	FTV-1000	FTV-1000	FTV-1000		FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900
Unit Size*	14.5×19×27.5	14×18×27.5	13.5×17×27.5	13.5×17×31	15×18.5×30	15×18.5×33	13.5×19.5×29	13.5×17×27.5	14×17×28		13.5×17.5×27	13.5×17.5×30.5	15×18.5×29.5	15×18.5×32.5	13.5×17.5×27	13.5×17.5×30.5	15×18.5×29.5	15×18.5×32.5	13.5×18×27	13.5×18×30.5	15×19.5×29	15×19.5×32
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN		JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

*Listed external dimensions: width x depth x height in cm (approximate).
●Do not place in dish washer or dish dryer.

Catering Products

Air Pots

Press Down

Just press lightly to dispense hot water.



Lever-Style

The lever-style pump makes it easier on the wrist to pump.



Handy Pots

Twist Open

Twist to open and close.



Push-Type

Just press lightly to open and close the stopper.



Easy Touch

Just press lightly to open and close the stopper.



**Fold Down Handle**

**360° Swivel Base**

**Pump Lever Safety Lock**

**Wide Body With Long Nose**

**Tilt Leak Prevention**
Has safety valve to minimize hot water spillage.

**Detachable Lid**

**Detachable Stopper**

**Detachable Lid & Stopper**

**Coffee Dripper**

**Without Stopper**

**Detachable Lid & Brew-Thru Stem Stopper**



NSF Certified: NSF is an organization that ensures safe designs and cleaning of commercial appliances and tools. NSF certifies that all products bearing its mark complies with all industry standards and regulatory requirements.



NSF Component: This mark indicates that the product as a component is certified by NSF, while it may not in itself be a complete product.



ETL Sanitation Listed: This mark certifies compliance to appropriate ANSI/NSF standards for products sold in the US and Canada. The mark approves the use of the equipment for food production for human consumption.

Creamer/Dairy Server

Stainless Steel Liner

SH-MAE10 1.0L **Export Exclusive Item** **Limited Stock**

Instruction Manuals **JPN**

For Cold Beverages



Always Open Lid
(Tilt only ready to serve, without twisting the lid.)



Easy to Clean



Stainless: XA
-MAE10 : 710833

French Press

Stainless Steel Liner

SK-XAE10 1.0L **Export Exclusive Item**

Instruction Manuals **ENG** **FRE** **SPA**



Stainless: XA
-XAE10 : 716958



Model No.	SH-MAE10	SK-XAE10	ABF-30S	AAPE-19S	AAPE-22SB
Capacity (liters)	1.0	1.0	3.0	1.85	2.2
Packing (pcs./carton)	6	6	6	8	6
Weight	Net (kgs.)	4.7	13.5	12.0	9.5
	Gross (kgs.)	5.1	14.5	13.5	11.0
Measurement (m³)	0.035	0.05	0.125	0.101	0.080
Replacement Glass	—	—	FABF-30	FSLD-1900	FSK-2200
Unit Size*	11x15.5x28.5	12x17x23	18.5x25.5x38	15.5x20x37	15.5x20x38.5
Country of Origin	THAILAND	CHINA	JAPAN	JAPAN	JAPAN

*Listed external dimensions: width x depth x height in cm (approximate). •Do not place in dish washer or dish dryer.

Air Pots

Press Down

ABF-30S 3.0L **Limited Stock**

Instruction Manuals **JPN**





Stainless: XA
-30S : 127556

AAPE-19S 1.85L **Export Exclusive Item**





Stainless: ST
-19S : 700247

AAPE-22SB 2.2L **Limited Stock** **Export Exclusive Item**

•Brushed Stainless Finish





Brew-Thru Stem Stopper for direct brewing



Stainless: XA
-22SB : 023596035447 (UPC)*
*This product has a UPC code instead of a JAN code

VRKE-30S 3.0L **Export Exclusive Item**

•Comes with a stainless steel stem stopper





Stainless: XA
-30S : 700971

Stainless Steel Liner

SGA-30 3.0L **Instruction Manuals** **JPN**

•Comes with a stainless steel stem stopper





Stainless: XA
-30 : 117618

Lever-Style

Stainless Steel Liner

SR-AG30 3.0L /38 3.8L **Export Exclusive Item**

•Brew-Thru Stem Stopper
•Comes with a stainless steel stem stopper







Stainless: XA
-AG30 : 702227
-AG38 : 708021

Model No.	VRKE-30S	SGA-30	SR-AG30	SR-AG38
Capacity (liters)	3.0	3.0	3.0	3.8
Packing (pcs./carton)	6	6	6	4
Weight	Net (kgs.)	12.0	12.5	11.2
	Gross (kgs.)	13.5	13.5	12.2
Measurement (m³)	0.113	0.086	0.103	0.086
Replacement Glass	FAAV-30	—	—	—
Unit Size*	18.5x23.5x38.5	18x21x36	18x21x39	18x21x43
Country of Origin	JAPAN	JAPAN	CHINA	CHINA

Handy Pots



Twist Open

AHGB-10S 1.0L /13S 1.3L
•Large Handle

Export
Exclusive
Item



Stainless: XA
-10S : 700926
-13S : 700933



Coffee
Dripper



Push-Type

AGYE-10S 1.0L /13S 1.3L /16S 1.55L /19S 1.85L

Export
Exclusive
Item

•Brushed Stainless Finish



Stainless: XA
-10S : 701350
-13S : 702111
-16S : 702128
-19S : 702135



360°Swivel
Base
(AGYE-16S
& 19S)



Easy Touch

AFFB-10S 1.0L /13S 1.3L /16S 1.55L /19S 1.85L

Export
Exclusive
Item

•Brushed Stainless Finish



Stainless: XA
-10S : 700728
-13S : 700735
-16S : 700742
-19S : 700759



360°Swivel
Base
(AFFB-16S
& 19S)



Coffee
Dripper



Twist Open

BHS-1900/19SB 1.85L

Export
Exclusive
Item



360°Swivel
Base

Brew-Thru Lid allows
direct brewing
(only for BHS-19SB)



Stainless: ST
-1900 : 700704



Stainless: XA
-19SB : 023596134447 (UPC)*
* This product has a UPC code instead of a JAN code



SLE-1000N 1.0L /1300N 1.3L /1600N 1.55L /1900N 1.85L

Export
Exclusive
Item



360°Swivel
Base
(SLE-1600N &
1900N)



Stainless: ST
-1000N : 705662
-1300N : 705464
-1600N : 705679
-1900N : 705471

Model No.		AHGB-10S	AHGB-13S	AGYE-10S	AGYE-13S	AGYE-16S	AGYE-19S	AFFB-10S	AFFB-13S	AFFB-16S	AFFB-19S
Capacity (liters)		1.0	1.3	1.0	1.3	1.55	1.85	1.0	1.3	1.55	1.85
Packing (pcs./carton)		12	12	12	12	12	12	12	12	12	12
Weight	Net (kgs.)	10.5	12.0	11.5	12.5	14.0	15.5	12.0	13.0	14.5	16.5
	Gross (kgs.)	11.5	13.0	13.0	14.0	15.5	17.0	13.5	14.5	16.0	18.0
Measurement (m³)		0.081	0.101	0.083	0.102	0.115	0.125	0.091	0.101	0.115	0.125
Replacement Glass		FTV-1000	FSU-1300A	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900
Unit Size ^{*1}		13.5x18x26.5	13.5x18x30	13x17x27.5	13.5x17x31	15x18.5x30	15x18.5x33	13.5x17.5x27	13.5x17.5x31	15.0x18.5x30	15x18.5x33
Country of Origin		JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

Model No.	BHS-1900	BHS-19SB	SLE-1000N	SLE-1300N	SLE-1600N	SLE-1900N
Capacity (liters)	1.85	1.85	1.0	1.3	1.55	1.85
Packing (pcs./carton)	12	12	12	12	12	12
Weight	Net (kgs.)	14.5	11.5	13.0	14.5	16.0
	Gross (kgs.)	16.0	13.0	14.5	16.0	17.5
Measurement (m³)	0.106	0.108	0.094	0.100	0.105	0.109
Replacement Glass	FSLD-1900	FSLD-1900	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900
Unit Size*1	15x18.5x31	15x18.5x31	13.5x18x27	13.5x18x30.5	15x19.5x29	15x19.5x32
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

*1. Listed external dimensions: width x depth x height in cm (approximate).
•Do not place in dish washer or dish dryer.

Beverage Dispensers



Pours straight down
into placed cup




Brew-Thru lid with
mesh filter



Sight gauge easily
detaches for quick
cleaning.



LEGAYAE-12
Taller serving base also available
for AY-AE25/25N, SY-AA25/25N.



Stainless Steel Liner

SY-BA60/60N 6.0L

Export
Exclusive
Item

- Large Capacity 6L
- Detachable Serving Base
- High Impact Plastic Body Resists Dents And Corrosion
- Fold Down Handle For Easy Transport
- Removable Drip Tray
- Brew-Thru Lid
- Easy to check water level gauge



Black: BA
-BA60N : 712059



Black: BA
-BA60 : 711441

AY-AE25/25N 2.5L

Export
Exclusive
Item

- Detachable Serving Base
- High Impact Plastic Body Resists Dents And Corrosion
- Fold Down Handle For Easy Transport
- Removable Drip Tray
- Brew-Thru Lid
- Easy to check water level gauge



Black: BA
-AE25N : 707987



Black: BA
-AE25 : 707970

Stainless Steel Liner

SY-AA25/25N 2.5L

Export
Exclusive
Item

- Detachable Serving Base
- High Impact Plastic Body Resists Dents And Corrosion
- Fold Down Handle For Easy Transport
- Removable Drip Tray
- Brew-Thru Lid
- Easy to check water level gauge



Black: BA
-AA25N : 707994



Black: BA
-AA25 : 706157

Food Containers

RDS-400*2 10.8L /600*2 16.2L

•Non-Electric Large Size
Food Container



Stainless: ST
-400 : 016331



Stainless: ST
-600 : 016355

Model No.	SY-BA60	SY-BA60N	AY-AE25	AY-AE25N	SY-AA25	SY-AA25N	RDS-400	RDS-600
Capacity (liters)	6.0	6.0	2.5	2.5	2.5	2.5	10.8	16.2
Packing (pcs./carton)	1	1	6	6	6	6	2	2
Weight	Net (kgs.)	8.5	14.5	10.0	14.5	10.0	11.0	13.0
	Gross (kgs.)	—	15.5	11.0	16.0	11.0	12.5	14.5
Measurement (m³)	0.110	0.070	0.146	0.100	0.146	0.100	0.104	0.128
Replacement Glass	—	—	FVPA-2500	FVPA-2500	—	—	—	—
Unit Size*1	26x37.5x59.5	26x34.5x36.5	20x22.5x43.5	18.5x22x30	20x22.5x43.5	18.5x22x30	46x38x27	46x38x34
Country of Origin	CHINA	CHINA	TAIWAN	TAIWAN	TAIWAN	TAIWAN	JAPAN	JAPAN

*2. Foam Insulation