

ZOSAN, THE MASCOT OF "ZOJIRUSHI"  
LOVED IN THE WORLD.

ZOSAN was introduced in 2003. ZOSAN is a 9 years old boy, cheerful sometimes mischievous and healthy friendly boy. ZOSAN appeared in Japanese printed materials at first, but soon later it started to be used in America, Hong Kong, Taiwan, China, Thailand, Vietnam and Indonesia. And now ZOSAN is loved in the world having many variations such as wearing Kung-Fu outfit, Dragon Dance costume and Indonesian student's outfit with Garuda cap and so on.



OVERSEAS OFFICES

Zojirushi America Corporation

19310 Pacific Gateway Dr. Suite 101, Torrance, CA 90502  
Tel: 1-310-769-1900 / 800-733-6270 (Toll free) Fax: 1-310-323-5522  
e-mail: info@zojirushi.com <http://www.zojirushi.com>

Zojirushi SE Asia Corporation Ltd.

4th Floor, Saha-Union Building, No.1828 Sukhumvit Road,  
Phrakanong Tai, Phrakanong, Bangkok 10260, Thailand  
Tel: 66-2741-4818 Fax: 66-2741-4819  
e-mail: info@zojirushi.co.th  
<http://www.zojirushi-seasia.com> (Eng) <http://www.zojirushi.co.th> (Thai)

Zojirushi Taiwan Corporation

11F., No. 4&6, Sec. 3, Minquan East Road, Zhongshan District, Taipei, Taiwan  
Tel: 886-2-2506-9009 Fax: 886-2-2506-8980  
e-mail: customer@zojirushi.com.tw <http://www.zojirushi.com.tw>

★JAN code: The 6-digit number after the model number (e.g.: -AA05) is the last 6 digits of the JAN code number.  
The first 7 digits for all models are "4974305".  
★2 capital letters listed after the color name are the color code.  
★Contents of this catalog may change without notice.  
★The product colors in this catalog may differ from the actual products.

DISTRIBUTOR:

Printed in Japan Nov. 2025



ISO 9001 No: JET-0297  
Zojirushi Corporation  
(P&D Department)



ISO 14001 No: E98-063  
Zojirushi Corporation  
(P&D Department)



ISO 9001 Cert. No: TH021443  
ISO 14001 Cert. No: TH022239  
Union Zojirushi Co., Ltd.



PRODUCT  
CATALOG

2026

- Stainless Steel Vacuum Insulated Products  
(Bottles, Mugs, Food Jars, Lunch Jars, and others)
- Glass Lined Vacuum Insulated Products  
(Air Pots, Handy Pots)
- Catering Products






Corporate Philosophy

## Creating a Better quality of Life

Corporate Slogan

## "Treasuring Everyday Life."

Zojirushi knows  
that "today" will never come again.  
That is why Zojirushi creates  
truly outstanding products born from the  
inspiration of normal, everyday life,  
to bring times of happiness and comfort.  
Zojirushi also pledges  
to continue its ongoing commitment  
to fill every "today" with joy.




## ESTABLISHED IN 1918

The history of the Zojirushi goes back to a glass-lined vacuum bottle created in 1918. This bottle for home use was created using vacuum insulation - a breakthrough technology at the time. In the years since then, Zojirushi has established itself as a top manufacturer of vacuum bottles and has continued to leverage the latest technologies to create a constant stream of leading-edge products that make life more comfortable and convenient.

Although much has changed and lifestyles have become more varied, our corporate philosophy of "Creating a quality of life." continues to be reflected in our many products and services.

## GLOBAL NETWORK





# PICK YOUR COLOR

Big performance in a compact body **SU-BA**

## Product Design




### Feature 01

Easy daily care  
**Effortless Daily Cleaning**

New

#### "SeamlessLid"

The gaskets and stopper are integrated into this one-piece lid. No more worries about disassembling, forgetting or losing the gasket, or leaks from improper assembly.



New

#### All parts are dishwasher safe!

Dishwasher safe for easier care —wash the entire lid and bottle with no hassle.



### Feature 03

Compact and portable  
**More compact than ever — Perfect for on-the-go**

New

#### Designed to fit easily into any bags

A redesigned, more compact lid and body makes it easier than ever to take with you!



### Spec

0.36L



Soft Greige (HM) Cocoon White (WM) Calm Green (GM) Powder Blue (AM)

0.48L



Midnight Black (BM) Soft Greige (HM) Cocoon White (WM) Bloom Pink (PM) Calm Green (GM) Powder Blue (AM)

REACH Compliant

### Feature 02

Always the perfect temp  
**Amazing heat and cold retention keeps drinks at the perfect temperature for hours**

New

#### "ThermoRing" structure minimizes heat loss from the opening

Zojirushi's proprietary inner bottle structure that enhances heat retention!

※1 Comparison of heat retention of the SU-BA with the SM-WS model. SU-BA36 is approx. 2°C higher.




Heat Retention after 6 Hours  
**Improves approx. 3°C** ※1

New

#### Superior cold retention, keeps cold drinks icy and tasty for a full 6 hours

Our stainless steel double-wall vacuum insulation delivers top-tier thermal performance—keeping drinks hot or cold and tasting fresh for hours.

※2 For SU-BA48, Heat/cold retention capacity varies by model and size, see product specifications for details.



From 96°C after 6 hours  
**74°C** or above

From 4°C after 6 hours  
**7°C** or below

Keeps beverages at the perfect sipping temperature ※2

### Other Features



#### Sports drink OK "SlickSteel Plus" finish

Highly corrosion-and rust-resistant. Plus, its smooth surface makes cleaning easy.



#### "Splatter-Proof Design" minimizes bevarages from splashing

The lid stops slightly open allowing droplets to fall inside, minimizing splashes and keeping your desk dry.

Model	SU-BA36	SU-BA48
Capacity(liters)	0.36	0.48
Cold Retention ※3	8°C@6hr	7°C@6hr
Heat Retention ※4	69°C@6hr	74°C@6hr
Dimensions(cm)	6.5×7.5×17.0	6.5×7.5×20.5
Weight(kgs.)	0.17	0.20
Opening(cm)	4	4
Packing(pcs/carton)	16	16
Country of Origin	Thailand	Thailand

※3 Rating is based on water at a starting temperature of 4°C at a room temperature of 20°C

※4 Rating is based on water at a starting temperature of 95°C at a room temperature of 20°C





"CRC TempHold" insulation keep your beverage hotter, longer



"ReliaSeal" leak-proof design provides peace of mind



"ReliaSeal" leak-proof design and worry-free handle for convenient carrying anywhere



4.5 cm wide opening for easy filling



"SeamlessLid" Only 2 parts to wash



"SeamlessLid" and Dishwasher safe

Only 3 parts to wash



"CompactLight" construction won't weigh you down



"SlickSteel Plus" polished stainless steel interior



Only 2 parts to wash

"SeamlessLid" and Dishwasher safe



"CompactLight" construction



"SlickSteel Plus" polished stainless steel interior



"ThermoRing" keeps food hot for hours, so it's ready for lunchtime.



"SlickSteel Plus" polished stainless steel interior

#### Spec

Model	SM-VH48	SM-VH60	SM-VH72	SM-VH95
Capacity(liters)	0.48	0.60	0.72	0.95
Cold Retention ※1	9°C@6hr	8°C@6hr	8°C@6hr	8°C@6hr
Heat Retention ※2	71°C@6hr	73°C@6hr	75°C@6hr	78°C@6hr
Dimensions(cm)	7.5×8.0×20	7.5×8.0×23.5	7.5×8.0×27	8.0×8.0×29
Weight(kgs.)	0.23	0.26	0.29	0.33
Opening(cm)	4.5	4.5	4.5	4.5
Packing(pcs/carton)	12	12	12	12
Country of Origin	Thailand	Thailand	Thailand	Thailand

SM-VH	SeamlessLid	Two-part lid	Interior	SlickSteel Plus	REACH Compliant
	Dishwasher safe	—	ThermoRing	—	

#### Spec

Model	SU-DA80	SU-DA100
Capacity(liters)	0.80	1.0
Cold Retention ※1	7°C@6hr	7°C@6hr
Heat Retention ※2	79°C@6hr	81°C@6hr
Dimensions(cm)	8.5×8.5×25.5	8.5×8.5×29.5
Weight(kgs.)	0.36	0.43
Opening(cm)	4.5	4.5
Packing(pcs/carton)	12	12
Country of Origin	Thailand	Thailand

SU-DA	SeamlessLid	One-piece lid	Interior	SlickSteel Plus	REACH Compliant
	Dishwasher safe	○	ThermoRing	—	

#### Spec

Model	SU-CA35	SU-CA50
Capacity(liters)	0.35	0.50
Cold Retention ※1	9°C@6hr	8°C@6hr
Heat Retention ※2	68°C@6hr	74°C@6hr
Dimensions(cm)	6.5×6.5×16	6.5×6.5×21
Weight(kgs.)	0.18	0.21
Opening(cm)	4	4
Packing(pcs/carton)	12	12
Country of Origin	Thailand	Thailand

SU-CA	SeamlessLid	One-piece lid	Interior	SlickSteel Plus
	Dishwasher safe	—	ThermoRing	—

#### Spec

Model	SW-LA30	SW-LA40
Capacity(liters)	0.30	0.40
Cold Retention ※1	10°C@6hr	9°C@6hr
Heat Retention ※2	62°C@6hr	67°C@6hr
Dimensions(cm)	9.5×9.5×11	9.5×9.5×12.5
Weight(kgs.)	0.29	0.31
Opening(cm)	7	7
Packing(pcs/carton)	12	12
Country of Origin	Thailand	Thailand

SW-LA	SeamlessLid	Two-part lid	Interior	SlickSteel Plus
	Dishwasher safe	○	ThermoRing	○

※1 Rating is based on water at a starting temperature of 4°C at a room temperature of 20°C  
※2 Rating is based on water at a starting temperature of 95°C at a room temperature of 20°C



Stainless Steel Vacuum Insulated Products

Mugs

### One Touch Flip-Open

**Step 1**

Keep pressed

While the button is pressed, the cap remains slightly open. Excessive dew on the cap drops.

### Twist-Open

Designed to drink directly out of the mug. Just twist to open the lid.

**Step 2**

OPEN / Release

The cap will flip open when you release your finger from the button.

“CompactLight” Construction

Compact & Strong, Perfectly Portable

“CRC TempHold” Insulation

Keep Your Beverage Hotter, Longer

“ReliaSeal” Leak-Proof Design

Leak-Free, Worry-Free

“SlickSteel Plus”

Highly corrosion-and rust-resitant. Plus, its smooth surface makes cleaning easy

SeamlessLid

Gasket-Free ensures no accidental leaks, and only 2 or 3 parts to wash.

ThermoRing

Our new technology reduces heat dissipation and improves heat and cold retention. Especially, the heat retention after 6 hours is 6°C higher than that of our conventional product.

Dishwasher-safe

Easy to wash, easy to clean.

Take-Apart Stopper

Can be taken apart to clean.

Tealeaf Filter

Removable and Easy-to-Clean Tealeaf Filter.

### One Touch Flip-Open

SM-WS36 0.36L /48 0.48L

Instruction Manuals JPN ENG CHN KOR

SeamlessLid

MATTE WHITE: WM

-WS36 : 224538

-WS48 : 224590

AIRY BLUE: AM

-WS36 : 224545

-WS48 : 224606

GRAY: HM

-WS36 : 224552

-WS48 : 224613

ORCHID: VM

-WS36 : 224576

-WS48 : 224637

AQUA GREEN: GM

-WS36 : 224569

-WS48 : 224620

SOFT BLACK: BM

-WS36 : 224583

-WS48 : 224644

### One Touch Flip-Open

SM-VB60 0.6L /72 0.72L /95 0.95L

Instruction Manuals JPN ENG CHN KOR

SeamlessLid

SM-VS83 0.83L /95 0.95L

Instruction Manuals JPN ENG CHN KOR

Export Exclusive Item

SeamlessLid

SM-WP24 0.24L

Instruction Manuals JPN

SeamlessLid

SM-SF36 0.36L /48 0.48L /60 0.6L

Instruction Manuals JPN

REACH Compliant

SeamlessLid

SM-SR36E 0.36L /48E 0.48L /60E 0.6L

Instruction Manuals ENG CHN KOR

Export Exclusive Item

REACH Compliant

Take-Apart Stopper

SM-SG48E 0.48L

Instruction Manuals ENG CHN KOR

Export Exclusive Item

Take-Apart Stopper

SM-QAF48 0.48L /60 0.6L

Instruction Manuals ENG CHN KOR

Export Exclusive Item

REACH Compliant

Take-Apart Stopper

SM-UA48 0.48L

Instruction Manuals JPN

SeamlessLid

SM-YAF48 0.48L

Instruction Manuals ENG CHN KOR

Export Exclusive Item

REACH Compliant

Fits in most car cup holders.

SM-WS36 0.36L /48 0.48L

Instruction Manuals JPN ENG CHN KOR

SeamlessLid

SM-VB60 0.6L /72 0.72L /95 0.95L

Instruction Manuals JPN ENG CHN KOR

SeamlessLid

SM-VS83 0.83L /95 0.95L

Instruction Manuals JPN ENG CHN KOR

SeamlessLid

SM-WP24 0.24L

Instruction Manuals JPN

SeamlessLid

SM-SF36 0.36L /48 0.48L /60 0.6L

Instruction Manuals JPN

REACH Compliant

SeamlessLid

SM-SR36E 0.36L /48E 0.48L /60E 0.6L

Instruction Manuals ENG CHN KOR

Export Exclusive Item

REACH Compliant

Take-Apart Stopper

SM-SG48E 0.48L

Instruction Manuals ENG CHN KOR

Export Exclusive Item

Take-Apart Stopper

SM-QAF48 0.48L /60 0.6L

Instruction Manuals ENG CHN KOR

Export Exclusive Item

REACH Compliant

Take-Apart Stopper

SM-UA48 0.48L

Instruction Manuals JPN

SeamlessLid

SM-YAF48 0.48L

Instruction Manuals ENG CHN KOR

Export Exclusive Item

REACH Compliant

Fits in most car cup holders.

Model No.		SM-WS36	SM-WS48	SM-VB60	SM-VB72	SM-VB95	SM-VS83	SM-VS95	SM-WP24	SM-SF36	SM-SF48		SM-SF60	SM-SR36E	SM-SR48E	SM-SR60E	SM-SG48E	SM-QAF48	SM-QAF60	SM-PD20	SM-PD30	SM-UA48	SM-YAF48
Features	Wide Mouth (cm)	4	4	4.5	4.5	4.5	4.5	4.5	4	4	4		4	4	4	4	4	4	4	3	3	4	7.5
	CompactLIGHT	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	
	Nonstick Coating	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	
	Whole-Body Washable*1	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●
	One-Piece Stopper	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●
	Take-Apart Stopper								●	●	●		●	●	●	●	●	●	●	●	●	●	●
	Air Vent System								●	●	●		●	●	●	●	●	●	●	●	●	●	●
Capacity (liters)		0.36	0.48	0.6	0.72	0.95	0.83	0.95	0.24	0.36	0.48		0.6	0.36	0.48	0.6	0.48	0.48	0.6	0.2	0.3	0.48	0.48
Packing (pcs./carton)		16	16	12	12	12	12	12	12	12	12		12	12	12	12	12	12	12	12	12	12	12
Weight	Net (kgs.)	3.6	4.3	4.0	4.3	5.0	4.7	5.0	2.3	2.6	3.2		3.6	2.7	3.2	3.6	3.3	4.3	4.8	2.5	2.9	4.3	4.8
	Gross (kgs.)	4	4.7	4.2	4.6	5.4	5	5.4	2.5	2.8	3.4		3.9	2.9	3.5	3.9	3.5	4.6	5.0	2.6	3.1	4.6	5.0
Measurement (m³)		0.018	0.022	0.020	0.023	0.031	0.026	0.030	0.012	0.014	0.017		0.020	0.014	0.017	0.020	0.017	0.021	0.024	0.010	0.013	0.023	0.024
Retention	Hot*2	86°C@1hr./67°C@6hr.	87°C@1hr./71°C@6hr.	88°C@1hr./73°C@6hr.	89°C@1hr./75°C@6hr.	89°C@1hr./78°C@6hr.	89°C@1hr./77°C@6hr.	89°C@1hr./78°C@6hr.	85°C@1hr./61°C@6hr.	86°C@1hr./67°C@6hr.	87°C@1hr./71°C@6hr.		88°C@1hr./73°C@6hr.	86°C@1hr./67°C@6hr.	87°C@1hr./71°C@6hr.	88°C@1hr./73°C@6hr.	87°C@1hr./71°C@6hr.	87°C@1hr./71°C@6hr.	88°C@1hr./73°C@6hr.	83°C@1hr./62°C@6hr.	85°C@1hr./69°C@6hr.	87°C@1hr./71°C@6hr.	81°C@1hr./56°C@6hr.
	Cold*3	9°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	9°C@6hr.	9°C@6hr.	8°C@6hr.		8°C@6hr.	9°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	10°C@6hr.	9°C@6hr.	10°C@6hr.	8°C@6hr.	10°C@6hr.
Unit Size*4		6.5x7x17.5	6.5x7x21.5	7.5x8x23.5	7.5x8x27	8x8x29	8x8x26	8x8x29	6.5x7x14.5	6.5x7x17.5	6.5x7x22		6.5x7x25	6.5x7x17.5	6.5x7x22	6.5x7x25	6.5x7x22	7x8x22	7x8x25.5	6x6.5x15	6x6.5x19.5	6.5x7.5x21.5/8.5x9x22(with pouch)	8x8.5x21.5
Country of Origin		THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND		THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

\*1. Do not soak under water. \*2. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C. \*3. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C. \*4. Listed external dimensions : width x depth x height in cm (approximate).

● Do not place in dish washer or dish dryer.



## Twist-Open

SU-AA36 0.36L /48 0.48L Instruction Manuals JPN ENG CHN KOR



BLACK: BA  
-AA36 : 227508  
-AA48 : 227553



SUNSET BEIGE: CP  
-AA36 : 227485  
-AA48 : 227539



POPPY RED:RM  
-AA36 : 227461  
-AA48 : 227515



ICY PURPLE: VM  
-AA36 : 227492  
-AA48 : 227546



PALE CITRUS: YM  
-AA36 : 227478  
-AA48 : 227522



BLUE: AA  
-AA48 : 227560



Gasket-Free  
One-Piece Lid  
Dishwasher-safe

SM-GS60 0.6L /72 0.72L Instruction Manuals JPN ENG CHN KOR



BLACK: BA  
-GS60 : 227621  
-GS72 : 227652



DEEP TURQUOISE: GM  
-GS60 : 227591  
-GS72 : 227638



ICY PURPLE: VM  
-GS60 : 227614  
-GS72 : 227645



WHITE: WA  
-GS60 : 227607



Gasket-Free  
One-Piece Lid  
Dishwasher-safe

SM-RS50 0.5L /65 0.65L Instruction Manuals JPN ENG CHN KOR



NAVY: AD  
-RS50 : 226488  
-RS65 : 226518



GREEN: GA  
-RS50 : 226471  
-RS65 : 226501



PINK: PA  
-RS50 : 226464



ECRU: WZ  
-RS50 : 226495  
-RS65 : 226525



Gasket-Free  
One-Piece Lid  
Dishwasher-safe

SM-RB60E 0.6L /75E 0.75L Instruction Manuals JPN ENG CHN KOR Export Exclusive Item REACH Compliant



LIGHT BLUE: AL  
-RB60E : 718464  
-RB75E : 718518



BLACK: BA  
-RB60E : 718488  
-RB75E : 718532



PINK: PA  
-RB60E : 718457  
-RB75E : 718501



WHITE: WA  
-RB60E : 718471  
-RB75E : 718525



STAINLESS: XA  
-RB60E : 718495  
-RB75E : 718549



AQUA GREEN: GM  
-RB75E : 720306



POPPY RED: RM  
-RB75E : 720276



MAUVE PURPLE: VM  
-RB75E : 720290



CITRON YELLOW: YM  
-RB75E : 720283



Gasket-Free  
One-Piece Lid  
Dishwasher-safe

SM-NAE48SA 0.48L Instruction Manuals ENG CHN FRE GER SPA NLD DAN SWE ITA NOR ARA Limited Stock Export Exclusive Item



Ichimatsu White: WZ  
-NAE48SA : 713971



Ichimatsu Black: BZ  
-NAE48SA : 713988



Ichimatsu Red: RZ  
-NAE48SA : 713995



Ichimatsu Blue: AZ  
-NAE48SA : 714008



Take-Apart  
Stopper

SM-JF36 0.36L /48 0.48L Instruction Manuals JPN ENG CHN KOR



Navy: AD  
-JF36 : 217769  
-JF48 : 217790



Floral Pink: PM  
-JF36 : 217776  
-JF48 : 217806



White: WA  
-JF36 : 217783  
-JF48 : 217813



Take-Apart  
Stopper

SM-JTE34 0.34L /46 0.46L Instruction Manuals ENG CHN KOR Export Exclusive Item



Pink Champagne: PX  
-JTE34 : 709219  
-JTE46 : 709233



Deep Blue: AD  
-JTE34 : 709202  
-JTE46 : 709226



Take-Apart  
Stopper  
Tealeaf Filter

SM-MS25 0.25L /35 0.35L Instruction Manuals JPN ENG CHN KOR



MINT GREEN: GM  
-MS25: 227706  
-MS35: 227713



SHEER GRAY: HM  
-MS25: 227669  
-MS35: 227676



LILAC PURPLE: VM  
-MS25: 227683  
-MS35: 227690



Gasket-Free  
One-Piece Lid  
Dishwasher-safe

## Mug-Cup

SE-KAE48 0.48L Instruction Manuals ENG CHN KOR



OFF WHITE: WZ  
-KAE48 : 715531



PRUSSIAN BLUE: AZ  
-KAE48 : 715548



BROWN: TA  
-KAE48 : 715555



Export  
Exclusive  
Item  
Tealeaf Filter

## Bottle With Cup

SS-PCE20 0.20L /25 0.25L Instruction Manuals ENG CHN KOR



Purple Pink: VV  
-PCE20 : 713377



Metallic Blue: AH  
-PCE25 : 713384



Export  
Exclusive  
Item

SV-GR35 0.35L /50 0.5L Instruction Manuals JPN ENG CHN KOR Export Exclusive Item REACH Compliant



Blue: AA  
-GR35 : 211095  
-GR50 : 211118



Stainless: XA  
-GR35 : 211088  
-GR50 : 211101



Ag+\*5  
Antibacterial  
Cup  
(plastic cup  
interior)

SV-GR50E 0.5L Instruction Manuals ENG CHN KOR Export Exclusive Item REACH Compliant



BLUE: AA  
-GR50E : 718099



GREEN: GA  
-GR50E : 718105



PINK: PA  
-GR50E : 718112



PURPLE: VA  
-GR50E : 718129



Ag+\*5  
Antibacterial  
Cup  
(plastic cup  
interior)


SJ-TG08 0.8L /10 1.0L Instruction Manuals JPN ENG CHN KOR



Blue: AA  
-TG08 : 211125  
-TG10 : 211132



Stainless: XA  
-TG08 : 713421  
-TG10 : 713438



Instruction Manuals  
JPN ENG  
CHN KOR  
Export Exclusive Item  
REACH Compliant

SF-CC13 1.3L /15 1.5L /18 1.8L /20 2.0L Instruction Manuals JPN ENG CHN KOR Export Exclusive Item REACH Compliant



Stainless: XA  
-CC13 : 196101  
-CC15 : 196118  
-CC18 : 196125  
-CC20 : 196132



Metallic Blue: AH  
-CC15 : 201034



Instruction Manuals  
JPN ENG  
CHN KOR  
Take-Apart  
Shield Stopper  
REACH Compliant

SC-MC60 0.6L Instruction Manuals JPN ENG CHN KOR Export Exclusive Color Ag+\*6



PinkII: PZ  
-MC60 : 711526



Yellow: YA  
-MC60 : 711809



White: WA  
-MC60 : 711793



BlueII: AZ  
-MC60 : 711519

Model No.		SU-AA36	SU-AA48	SM-GS60	SM-GS72	SM-RS50	SM-RS65	SM-RB60E	SM-RB75E	SM-NAE48SA	SM-JF36	SM-JF48	SM-JTE34	SM-JTE46	SM-MS25	SM-MS35		SE-KAE48	SJ-JS08	SJ-JS10	SS-PCE20	SS-PCE25	SV-GR35	SV-GR50	SV-GR50E	SJ-TG08	SJ-TG10	SF-CC13	SF-CC15	SF-CC18	SF-CC20	SC-MC60
Features	Wide Mouth (cm)	4	4	4	4	4	4	4	4	4	4	4	4	4	3.5	3.5		6	4	4	3	3	4	4	4	5	5	7	7	7	7	5
	CompactLIGHT	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●			●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Thermo Ring	●	●																													
	Nonstick Coating	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●			●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Whole-Body Washable *1	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●			●	●	●	●	●	●	●	●	●	●	●	●	●	●
	DishWasher-Safe	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																
	One-Piece Lid	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																
	Take-Apart Stopper										●	●	●	●	●													●	●	●	●	
	Plastic Drinking Mouth											●	●																			
Tealeaf Filter													●	●				●														
Tealeaf Storage																																
Capacity (liters)		0.36	0.48	0.6	0.72	0.5	0.65	0.6	0.75	0.48	0.36	0.48	0.34	0.46	0.25	0.35		0.48	0.82	1.03	0.2	0.25	0.35	0.5	0.5	0.8	1.0	1.3	1.5	1.8	2.0	0.6
Packing (pcs./carton)		16	16	12	12	12	12	12	12	12	12	12	12	12	16	16		12	12	12	12	12	12	12	12	12	12	12	6	6	6	12
Weight	Net (kgs.)	3.9	4.4	4.1	4.5	3.6	4.2	4.0	4.6	3.9	3.4	3.9	3.5	4.0	3.0	3.6		6.0	5.5	6.1	2.6	2.8	3.7	4.2	4.2	6.5	7.0	11.5	6.0	6.5	7.0	5.5
	Gross (kgs.)	4.1	4.7	4.2	4.8	4	4.6	4.3	4.9	4.1	3.6	4.1	3.7	4.2	3.2	3.7		6.5	6.0	6.5	2.8	3.1	3.9	4.5	4.4	7.0	7.5	12.5	7.0	7.5	8.0	6.0
Measurement (m <sup>3</sup> )		0.018	0.021	0.019	0.022	0.019	0.023	0.022	0.025	0.017	0.012	0.015	0.012	0.015	0.013	0.016		0.033	0.030	0.034	0.010	0.012	0.016	0.020	0.019	0.031	0.035	0.047	0.026	0.029	0.031	0.030
Retention	Hot*2	88°C@1hr./ 73°C@6hr.	89°C@1hr./ 77°C@6hr.	88°C@1hr./ 73°C@6hr.	88°C@1hr./ 75°C@6hr.	87°C@1hr./ 71°C@6hr.	88°C@1hr./ 74°C@6hr.	88°C@1hr./ 73°C@6hr.	88°C@1hr./ 75°C@6hr.	87°C@1hr./ 71°C@6hr.	86°C@1hr./ 66°C@6hr.	87°C@1hr./ 70°C@6hr.	86°C@1hr./ 66°C@6hr.	87°C@1hr./ 70°C@6hr.	85°C@1hr./ 64°C@6hr.	87°C@1hr./ 70°C@6hr.		83°C@1hr./ 56°C@6hr.	80°C@6hr./ 58°C@24hr.	82°C@6hr./ 62°C@24hr.	71°C@6hr./ 39°C@24hr.	74°C@6hr./ 45°C@24hr.	71°C@6hr./ 41°C@24hr.	76°C@6hr./ 48°C@24hr.	76°C@6hr./ 48°C@24hr.	76°C@6hr./ 50°C@24hr.	79°C@6hr./ 54°C@24hr.	77°C@6hr./ 53°C@24hr.	79°C@6hr./ 56°C@24hr.	80°C@6hr./ 59°C@24hr.	81°C@6hr./ 62°C@24hr.	75°C@6hr./ 46°C@24hr.
	Cold*3	8°C@6hr.	8°C@6hr.	8°C@6hr.	7°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	7°C@6hr.	8°C@6hr.	10°C@6hr.	9°C@6hr.	9°C@6hr.	9°C@6hr.	9°C@6hr.	8°C@6hr.		7°C@1hr.	7°C@6hr.	7°C@6hr.	9°C@6hr.	8°C@6hr.	9°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	7°C@6hr.	7°C@6hr.	7°C@6hr.	9°C@6hr.
Unit Size*4		6.5x6.5x16.5	6.5x6.5x20.5	7x7x22	7x7x26	7x7x22	7x7x26.5	7x7x25	7x7x29.5	6.5x6.5x21.5	6.5x6.5x17	6.5x6.5x21.5	6.5x6.5x17	6.5x6.5x21.5	6x6x14.5	6x6x19		12.5x9x16	8x8x25	8.5x8.5x28.5	6x5.5x17.5	6.5x5.5x20	7x7x18	7x7x22.5	7x7x22.5	10.5x9x23	10.5x9x26.5	13x11.5x24	13x11.5x26.5	13x11.5x30	13x11.5x32.5	10x8.5x20
Country of Origin		THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND		CHINA	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND



Two-Way Bottles

Two-Way Cup & Straw

Cup

Straw\*

\*For cold beverages only

Air Vent System

Easy to drink,  
with no gurgling.

Drink flows  
out twice as fast!

(Compared to ST-XB)

Two-Way : Cup & Straw

SC-ZT45

0.45L /60 0.60L

Instruction Manuals  
JPN ENG CHN KOR

Export  
Exclusive  
Color

Direct Drinking

Cup

Aqua Blue : AZ  
-ZT60 : 215253

Direct Drinking

Cup

Black : BA  
-ZT60 : 215246

Direct Drinking

Cup

PinkII : PZ  
-ZT45 : 711540

Direct Drinking

Cup

Lemon Yellow : YZ  
-ZT45 : 711823

Direct Drinking

Cup

RedII : RZ  
-ZT45 : 711533

Direct Drinking

Cup

Cyan Blue : AZ  
-ZT45 : 711816

Ag<sup>+</sup>5

Antibacterial  
Cup & Straw

\* Direct Drinking type is for cold beverages only.

Model No.		SC-ZT45	SC-ZT60		SQ-DA30E	SD-HB10	SD-HB15	SD-BE20
Features	Wide Mouth (cm)	5	5		4	4.5	4.5	7
	Compact LIGHT	●	●		●			●
	Nonstick Coating	●	●			●	●	●
	Whole-Body Washable*1	●	●		●	●	●	●
	One-Piece Stopper				●	●	●	●
	Take-Apart Stopper				●			●
	Air Vent System					●	●	●
Capacity (liters)		0.45	0.6		0.32	1.0	1.5	2.06
Packing (pcs./carton)		12	12		12	12	6	6
Weight	Net (kgs.)	6.4	6.9		3.2	8.0	5.0	7.0
	Gross (kgs.)	6.8	7.5		3.5	8.0	5.5	7.0
Measurement (m³)		0.034	0.039		0.022	0.041	0.028	0.046
Retention	Hot*2	72°C@6hr.	75°C@6hr.		—	—	—	—
	Cold*3	10°C(straw)/9°C(cup)@6hr.	9°C@6hr.		10°C@6hr.	8°C@6hr.	7°C@6hr.	7°C@6hr.
Unit Size*4		10x8.5x18(straw)/ 10x8.5x16(cup)	10x8.5x21(straw)/ 10x8.5x19(cup)		11.5x7x17	10.5x9.5x28.5	11.5x10.5x33	15x12.5x34
Country of Origin		THAILAND	THAILAND		THAILAND	THAILAND	THAILAND	THAILAND

\*1. Do not soak under water.      \*2. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C.  
\*3. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C.      \*4. Listed external dimensions : width x depth x height in cm (approximate).  
● Do not place in dish washer or dish dryer.

Cool Bottles (for cold beverages only)

Direct Drinking (Spout Variations)

Regular

Straw

Direct Drinking

SQ-DA30E

0.32L

Instruction Manuals  
ENG CHN KOR

Export  
Exclusive  
Item

BLUE: AA  
-DA30E : 716934

PINK: PA  
-DA30E : 716941

Straw  
(Detachable)

SD-HB10

1.0L /15 1.5L

Instruction Manuals  
JPN

LIME BLUE: AG  
-HB10 : 226549  
-HB15 : 226570

SKY BLUE: AL  
-HB10 : 226556

BLACK: BA  
-HB10 : 226532  
-HB15 : 226563

Gasket-Free  
One-Piece  
Stopper

Regular

SD-BE20

2.06L

Instruction Manuals  
JPN

NAVY: AD  
-BE20 : 226846

BLACK: BA  
-BE20 : 226839

GRAY: HA  
-BE20 : 226853

Regular


Ag<sup>+</sup>6

Antibacterial  
Spout  
(Stopper)


\*5. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Cup and Straw; Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1.  
\*6. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Spout (Stopper); Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1.




Food Jars




Stainless steel vacuum-insulated (double wall)



Easy-to-clean interior



Whole-Body Washable  
※Do not soak under water



Take-Apart Stopper  
SW-E type only

SW-EZE35 0.35L

Instruction Manuals  
ENG CHN KOR

Export Exclusive Item



Green: GA  
-EZE35 : 711847



Black: BA  
-EZE35 : 711830

SW-KA30 0.3L /40 0.4L /52 0.52L

Instruction Manuals  
JPN ENG CHN KOR

Limited Stock



MATTE GREEN: GM  
-KA30 : 222169  
-KA40 : 222190  
-KA52 : 222220



ICE GRAY: HL  
-KA30 : 222183  
-KA40 : 222213



BEIGE: CM  
-KA30 : 222176  
-KA40 : 222206  
-KA52 : 222237



SW-KA52H 0.52L /75H 0.75L

Instruction Manuals  
ENG CHN KOR

Export Exclusive Item



VINTAGE ROSE: PM  
-KA52H : 717238  
-KA75H : 717269



ICE GRAY: HL  
-KA52H : 717245  
-KA75H : 717276



MEDIUM GRAY: HM  
-KA52H : 717252  
-KA75H : 717283



Model No.	SW-EZE35	SW-EK26H	SW-KA30	SW-KA40	SW-KA52	SW-KA52H	SW-KA75H
Wide Mouth (cm)	6.5	6.5	7	7	7	7	7
Gasket Free One-Piece Stopper			●	●	●	●	●
Capacity (liters)	0.35	0.26	0.3	0.4	0.52	0.52	0.75
Food Container (liters)	0.3	—	—	—	—	—	—
Packing (pcs./carton)	12	12	12	12	12	12	12
Weight	Net (kgs.)	8.0	3.9	4.3	4.7	5.3	5.3
	Gross (kgs.)	8.5	4.1	4.6	5	5.6	6.4
Measurement (m³)	0.054	0.015	0.018	0.021	0.023	0.023	0.028
Retention	Hot*1	57°C@6hr.	50°C@6hr.	58°C@6hr.	64°C@6hr.	67°C@6hr.	67°C@6hr.
	Cold*2	—	—	10°C@6hr.	9°C@6hr.	9°C@6hr.	8°C@6hr.
Unit Size*3	Pouch Size	21.5x12x20	9x9x11	9.5x9.5x11	9.5x9.5x12.5	9.5x9.5x14.5	9.5x9.5x18.5
Country of Origin	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

\*1. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C.


\*2. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C.

\*3. Listed external dimensions : width x depth x height in cm (approximate).


● Do not soak under water.

● Do not place in dish washer or dish dryer.


Lunch Jars



Stainless steel vacuum insulated keep warm jar



AG+ Antibacterial inner containers



Microwaveable Containers  
※except lids



Whole-Body Washable  
※Do not soak under water

SL-MEE07

Instruction Manuals  
ENG CHN KOR

Export Exclusive Item



Aqua Blue: AB  
-MEE07 : 707413

SL-NC09

Instruction Manuals  
JPN



Blue: AA  
-NC09 : 705143



Stainless Silver: ST  
-NC09 : 194718

SL-JAF14

Instruction Manuals  
ENG CHN KOR

Export Exclusive Item



Silver: SA  
-JAF14 : 704412



Gun Metallic: HG  
-JAF14 : 704429



SL-GH18

Instruction Manuals  
JPN



Black: BA  
-GH18 : 213273

SL-XE20

Instruction Manuals  
JPN



Navy: AD  
-XE20 : 213266

AG+ Antibacterial inner containers

AG+ Antibacterial inner containers

Model No.		SL-MEE07	SL-NC09	SL-JAF14	SL-GH18	SL-XE20
Food Container (liters)	Rice	0.31	0.31	0.45	0.59	0.79
	Food	0.33	0.33	L: 0.3 S: 0.2	0.4	0.4
	Soup	—	0.2	0.28	0.28	0.28
Packing (pcs./carton)		12	12	6	6	6
Weight	Net (kgs.)	8.9	11.3	7.5	6.8	7.4
	Gross (kgs.)	9.4	11.8	8.0	7.0	8.0
Measurement (m³)		0.050	0.060	0.042	0.035	0.037
Heat Retention *1		53°C@6hr.	65°C@6hr.	67°C@6hr.	69°C@6hr.	71°C@6hr.
Unit Size*3		12.5x11x16	12.5x11x20.5	15x13.5x22	15x13.5x21	15x13.5x23
Pouch Size		25.5x12x33.5	24x12x36	16x16x24	—	—
Country of Origin		THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

\*4. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Rice container, rice container lid, food container, soup container and soup container lid; Testing result: 99.9% of antibacterial effect; Test number: 214206124-1. ● Do not place in dish washer or dish dryer ● Do not soak under water





### Press Down

Just press lightly to dispense hot water.





### Lever-Style

Convenient lever-style stopper makes it easy to hold the





### Detachable Lid



### Tilt Leak Prevention

Has safety valve to minimize hot water spillage.



### Without Stopper

Easy to wash.



## Handy Pots

### Lever-Style



### Easy-Open

Lid opens easily by pinching the lock area, making it easy to fill with beverages and clean.





### Take-Apart Stopper

Stopper can be taken apart for thorough cleaning.






### Detachable Stopper



### Coffee Dripper


### Stainless Steel Pot or Bottle Cleaning Detergent

Ensures easy and healthy clean-up by putting in the detergent together with lukewarm water. This keeps your pot or bottle sparkling clean.



Before

After



• This cleaner is also good for cleaning stoppers  
• 10g x 4 packs

**SB-ZA01E(J)**  
: 702203

## Air Pots

### Press Down



7cm wide mouth makes cleaning easy



4g<sup>+</sup> antibacterial handle stays clean



Stainless: XA  
-CC22 : 212177  
-CC30 : 212191



Copper: NZ  
-CC22 : 212184  
-CC30 : 212207





6.5cm wide mouth makes cleaning easy



Mat Navy: AD  
-HC10 : 219107  
-HC15 : 219138



Mat Black: BM  
-HC10 : 219084  
-HC15 : 219114



Mat Copper: NU  
-HC10 : 219091  
-HC15 : 219121  
-HC19 : 219145





Brown: TA  
-RA15 : 219053  
-RA19 : 219077



Stainless: XA  
-RA15 : 219046  
-RA19 : 219060



Model No.		SR-CC22	SR-CC30	SH-HC10	SH-HC15	SH-HC19	SH-RA15	SH-RA19
Features	Wide Mouth (cm)	7	7	6.5	6.5	6.5	6.5	6.5
	Detachable Stopper			•	•	•	•	•
	Lever Style Stopper			•	•	•	•	•
	Easy-Open Lid			•	•	•		
	Without Stopper	•	•					
	Coffee Dripper			•	•	•	•	•
	Whole-Body Washable*2			•	•	•	•	•
Capacity (liters)		2.2	3.0	1.0	1.5	1.9	1.5	1.9
Packing (pcs./carton)		6	6	6	6	6	6	6
Weight	Net (kgs.)	10.6	11.9	5.5	6.0	6.5	6.0	6.5
	Gross (kgs.)	11.5	13.0	6.0	6.5	7.0	6.5	7.0
Measurement (m³)		0.086	0.096	0.034	0.039	0.044	0.044	0.049
Retention	Hot*3	70°C@10hr./ 54°C@24hr.	74°C@10hr./ 59°C@24hr.	67°C@10hr./ 58°C@24hr.	73°C@10hr./ 58°C@24hr.	76°C@10hr./ 62°C@24hr.	72°C@10hr./ 55°C@24hr.	75°C@10hr./ 60°C@24hr.
	Cold*4	8°C@10hr.	8°C@10hr.	9°C@10hr.	8°C@10hr.	8°C@10hr.	9°C@10hr.	8°C@10hr.
Unit Size*5		17.5x23x28.5	17.5x23x32.5	13x16.5x20	13x16.5x24.5	13x18x28	13.5x18x25	13.5x18x28.5
Country of Origin		CHINA	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA

## Tumblers

### SeamlessLid



SX-JS,-LA SX-KA

**Gasket-Free ensures no accidental leaks, and helps prevent the loss of parts.**

### SX-JS30 0.3L /40 0.4L

Instruction Manuals JPN



URBAN BLUE: AM  
-JS30 : 226617  
-JS40 : 226655

ASH GREEN: GM  
-JS30 : 226600  
-JS40 : 226648

SHEER GRAY: HM  
-JS30 : 226594  
-JS40 : 226631

POWDERY PINK: PM  
-JS30 : 226587  
-JS40 : 226624

### SX-KA30 0.3L /40 0.4L

Instruction Manuals JPN



VINTAGE ROSE: PM  
-KA30 : 220806  
-KA40 : 220837

CINNAMON BEIGE: CM  
-KA30 : 220813  
-KA40 : 220844

FOREST GRAY: HM  
-KA30 : 220820  
-KA40 : 220851

### SX-LA72H 0.72L /89H 0.89L

Instruction Manuals ENG CHN KOR



SAND BEIGE: CM  
-LA72H : 717993  
-LA89H : 718044

STONE GRAY: HM  
-LA72H : 718006  
-LA89H : 718051

ASH GREEN: GM  
-LA72H : 718013  
-LA89H : 718068

PALE WHITE: WM  
-LA72H : 718020  
-LA89H : 718075

TERRACOTTA: DM  
-LA72H : 718037  
-LA89H : 718082

### SX-HA72H 0.72L /89H 0.89L

Instruction Manuals ENG CHN KOR



MAUVE PURPLE: VM  
-HA72H : 717894  
-HA89H : 717948


CITRON YELLOW: YM  
-HA72H : 717900  
-HA89H : 717955

AQUA GREEN: GM  
-HA72H : 717917  
-HA89H : 717962


SAND BEIGE: CM  
-HA72H : 717924  
-HA89H : 717979

NAVY BLUE: AM  
-HA72H : 717931  
-HA89H : 717986


### Tumbler with stainless steel vacuum insulated structure provides high keep warm and keep cool performance



**Convenient Lid with Tea Leaf Strainer**  
(SX-FSE45 only)




**Round and smooth mouth for drinking comfort**




**Wide mouth for easy filling and cleaning**

### Tumbler with vacuum insulation



**Keep Cool**  
Prevents condensation



**Keep Warm**  
Outside will not become hot

### SX-DN60 0.6L

Instruction Manuals JPN ENG CHN KOR



Clear Copper: NC  
-DN60 : 215819

Clear Blue: AC  
-DN60 : 215826

Clear Stainless: XA  
-DN60 : 712967

### SX-FSE45 0.45L

Instruction Manuals ENG CHN KOR



White: WA  
-FSE45 : 714732

Navy: AD  
-FSE45 : 714749

Blue Gray: AJ  
-FSE45 : 714756

Coral Pink: PV  
-FSE45 : 714763

Model No.	SX-JS30	SX-JS40	SX-KA30	SX-KA40	SX-LA72H	SX-LA89H	SX-HA72H	SX-HA89H	SX-DN60	SX-FSE45
Wide Mouth (cm)	6.0	6.0	6	6	8	8	8.5	8.5	7.5	7.7
DishWasher-Safe	•	•			•	•	•*8	•*8		
Lid*6							•	•		•
One-Piece Lid		•	•	•	•	•	•	•		
Tea Leaf Strainer										•
Capacity (liters)	0.32	0.42	0.3	0.4	0.72	0.89	0.72	0.89	0.6	0.45*7
Packing (pcs./carton)	12	12	12	12	12	12	12	12	12	12
Weight	Net (kgs.)	3.7	4.2	3.9	4.5	6.5	5.5	6.0	3.7	4.0
	Gross (kgs.)	4.1	4.6	4.2	4.8	7.0	6.0	6.5	4.0	4.3
Measurement (m³)		0.02	0.023	0.019	0.022	0.034	0.039	0.032	0.035	0.022
Retention	Hot*3	56°C@6hr.	62°C@6hr.	54°C@6hr.	59°C@6hr.	68°C@6hr.	71°C@6hr.	—	55°C@1hr.	82°C@1hr.
	Cold*4	10°C@6hr.	9°C@6hr.	10°C@6hr.	10°C@6hr.	9°C@6hr.	9°C@6hr.	10°C@6hr.	7°C@1hr.	7°C@1hr.
Unit Size*5		7.5x7.5x19	7.5x7.5x22.5	8x8.5x17.5	8x8.5x21	9.5x9.5x24.5	9.5x9.5x28.5	9.5x10x19	9.5x10x22	8.5x8.5x18
Country of Origin		THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

\*1. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Handle; Testing result: 99.9% of antibacterial effect; Test number: 20215053087-1.  
\*2. Do not soak under water. \*3. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C.  
\*4. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C. \*5. Listed external dimensions: width x depth x height in cm (approximate). \*6. Not leak-proof.  
\*7. Based on the maximum water level line. \*8. Body only

Glass Lined Vacuum Insulated Products

Air Pots

Press Down



Just press lightly to dispense hot water.



Lever-Style



The lever-style pump makes it easier on the wrist to pump.



Fold Down Handle



360° Swivel Base



Pump Lever Safety Lock



Wide Body With Long Nose



Tilt Leak Prevention

Has safety valve to minimize hot water spillage when tilted.



Detachable Lid



Detachable Stopper



Detachable Lid & Stopper



Detachable Lid & Brew-Thru Stem Stopper




Without Stopper

Easy to wash.



Heat Retention of the Air Pot (VRKE-30N)

The heat retention is measured by filling the refill glass with hot water at a starting temperature of 95°C±1°C and left in a room at a temperature of 20°C±2°C and measured.



Press Down

VRKE-30N 3.0L

• Comes with a stainless steel stem stopper



Sweet Pea: FL  
-30N : 712202



Mint Gray: HM  
-30N : 708113



Camellia: FC  
-30N : 707277



Ballerina Flower: FH  
-30N : 700957



Symphony Flower: FS  
-30N : 707512



Beige: CA  
-30N : 706331



Herb Brown: TD  
-30N : 700964



Herb Cacao: TK  
-30N : 704740



Gold Brown: TZ  
-30N : 707895



UrushiII: BY  
-30N : 709394

Export Exclusive Item

REACH Compliant



Fold Down Handle



Wide Body With Long Nose



360° Swivel Base



Detachable Stopper



Pump Lever Safety Lock



Press Down

AAPE-19 1.85L /22 2.2L



Orchid: OK  
-19 : 701336  
-22 : 705419



Herb Cacao: TK  
-19 : 702159  
-22 : 705426



Fold Down Handle



Pump Lever Safety Lock



360° Swivel Base



Detachable Lid & Stopper



Limited Stock



Export Exclusive Item

(AAPE-22)

REACH Compliant

AB-RC22 2.2L /30 3.0L



WREATH FLOWER: FW  
-RC22 : 223814  
-RC30 : 223838



MATTE BEIGE: CM  
-RC22 : 223821  
-RC30 : 223845



Fold Down Handle



Tilt Leak Prevention



360° Swivel Base



Detachable Lid



Pump Lever Safety Lock



Without Stopper

AB-RY22 2.2L



GRACEFUL FLOWER: FZ  
-RY22 : 223852



MATTE SILVER: SM  
-RY22 : 223869



Fold Down Handle



Tilt Leak Prevention



360° Swivel Base



Detachable Lid



Pump Lever Safety Lock



Without Stopper

VRKE-30E 3.0L

• Comes with a stainless steel stem stopper



Satin Leaf: XS  
-30E : 707215

Export Exclusive Item

REACH Compliant



Fold Down Handle



Wide Body With Long Nose



360° Swivel Base



Detachable Stopper



Pump Lever Safety Lock



Lever-Style

AASB-19A 1.85L



Herb Cacao: TK  
-19A : 701541

Export Exclusive Item

REACH Compliant



Fold Down Handle



Pump Lever Safety Lock



360° Swivel Base



Detachable Lid & Brew-Thru Stem Stopper

Model No.		AAPE-19	AAPE-22	AB-RC22	AB-RC30		AB-RY22	VRKE-30N	VRKE-30E	AASB-19A
Features	Without Stopper			●	●		●			
	Press Down Style	●	●	●	●		●	●	●	
	Tilt Leak Prevention			●	●		●			
	Lever-Style Pump									●
Capacity (liters)		1.85	2.2	2.2	3.0		2.2	3.0	3.0	1.85
Packing (pcs/carton)		8	8	6	6		6	6	6	6
Weight	Net (kgs.)	12.0	12.5	10.5	11.5		11.0	12.0	12.0	9.5
	Gross (kgs.)	13.5	14.0	11.5	12.5		12.0	13.5	13.5	11.0
Measurement (m³)		0.101	0.105	0.099	0.113		0.103	0.113	0.113	0.081
Replacement Glass		FSLD-1900	FSK-2200	FVZA-2200	FABF-30		FVPA-2200	FAAV-30	FAAV-30	FSLD-1900
Unit Size*		15.5×20×37	15.5×20×38.5	18.5×24.5×31	18.5×24.5×35.5		18.5×23.5×32	18.5×23.5×38.5	18.5×23.5×38.5	15.5×20×38
Country of Origin		JAPAN	JAPAN	JAPAN	JAPAN		JAPAN	JAPAN	JAPAN	JAPAN

\*Listed external dimensions: width x depth x height in cm (approximate).  
● Do not place in dish washer or dish dryer.



Handy Pots



**Twist Open**

Twist to open and close.





**Push-Type**

Just press lightly to open and close the stopper.





**Easy Touch**

Just press lightly to open and close the stopper.






**Lever-Style**


Easy-to-use with one touch.






**Coffee Dripper**

The wide mouth lets you place a coffee dripper directly on top.




**Dishwasher Safe**  
(except lid)

The product can be washed in a dishwasher (except the lid).




**360° Swivel Base**

Dispenser turns 360° for added convenience.




**Twist Open**


AHGB-10D 1.0L /13 1.3L Export Exclusive Item REACH Compliant




Lily Cacao: TF  
-10D : 715371




Kiriko Gray: HG  
-10D : 713087




Kiriko Black: BG  
-10D : 713094




Red: RA  
-10D : 712936




White: WB  
-10D : 712943




Gold Brown: TZ  
-10D : 707826



Hanabi: BF  
-10D : 709332



Rose Beige: CH  
-10D : 709363



Rose Brown: TP  
-10D : 709356

Model No.		AHGB-10D	AHGB-13
Features	Push-Type		
	Easy Touch		
	Lever-Style		
	Twist Open		
	Coffee Dripper		
Capacity (liters)		1.0	1.3
Packing (pcs./carton)		12	12
Weight	Net (kgs.)	10.5	12.0
	Gross (kgs.)	11.5	13.0
Measurement (m³)		0.089	0.101
Replacement Glass		FTV-1000	FSU-1300A
Unit Size*		13.5x18x26.5	13.5x18x30
Country of Origin		JAPAN	JAPAN

\*Listed external dimensions: width x depth x height in cm (approximate).  
●Do not place in dish washer or dish dryer.



**Twist Open**

AHGB-10D 1.0L /13 1.3L Export Exclusive Item REACH Compliant



Lotus Silver: SF  
-10D : 710550



Lotus Black: BZ  
-10D : 710543



Edelweiss: WE  
-10D : 710406



Gold Corsage: BN  
-10D : 710413



Herb Cacao: TK  
-10D : 704788  
-13 : 701657



Wheat Brown: TW  
-10D : 708380



Black: BL  
-10D : 708311



UrushiII: BY  
-10D : 709387



Momiji: FM  
-10D : 711649



Sasa: FB  
-10D : 711632



White Ballerina: FC  
-10D : 706263  
-13 : 705631



Cocktail Rose: FW  
-13 : 705648



Royal Orchid: FG  
-10D : 705495



Beige: CA  
-10D : 704771  
-13 : 706393



Herb Brown: TD  
-10D : 706232  
-13 : 704917



Satin Leaf II: XT  
-10D : 710567



Push-Type

AH-EAE10 1.0L Export Exclusive Item REACH Compliant



Silver: SA  
-10 : 714039



Black: BA  
-10 : 714046



Red: RA  
-10 : 714053



Gold: NA  
-10 : 714060

AH-FAE10 1.0L Export Exclusive Item REACH Compliant



IMONO BLACK: BZ  
-10 : 715357

AGYE-10 1.0L /13 1.3L /16 1.55L /19 1.85L Export Exclusive Item



Symphony Flower: FN  
-10 : 702869



Jewel Silver: SJ  
-10 : 703194



Herb Cacao: TK  
-10 : 701756  
-13 : 702173  
-16 : 702296  
-19 : 702302



Herb Brown: TD  
-10 : 702166  
-13 : 702180  
-16 : 702890  
-19 : 704900



Gold Brown: TZ  
-10 : 707833  
-13 : 707840  
-16 : 707857  
-19 : 707864



BEIGE LEAF: CZ  
-10 : 720450



SATIN LEAF II : XT  
-10 : 720467



360°  
Swivel Base  
(AGYE-16 & 19)



Easy Touch

AFFB-10 1.0L /13 1.3L /16 1.55L /19 1.85L Export Exclusive Item REACH Compliant



Ichimatsu White : WZ  
-10 : 714077



Ichimatsu Black : BZ  
-10 : 714084



Satin Leaf II: XT  
-10 : 711656  
-13 : 714381  
-16 : 714398  
-19 : 714404



All White: WD  
-10 : 700582



HARB BROWN: TD  
-10 : 720436



Coffee  
Dripper  
360°  
Swivel Base  
(AFFB-16 & 19)



Metallic Gray: HX  
-10 : 708403  
-13 : 708410  
-16 : 708427  
-19 : 708434



Beige: CA  
-10 : 704863  
-13 : 702777  
-16 : 702531  
-19 : 702791



Herb Cacao: TK  
-10 : 702449  
-13 : 701619  
-16 : 701626  
-19 : 702814



Misty Silver: SF  
-10 : 704870  
-13 : 702784  
-16 : 704894  
-19 : 702807



GOLD BROWN: TZ  
-10 : 720443



Lever-Style

AH-SA10 1.0L Export Exclusive Item REACH Compliant



Brown: TA  
-SA10 : 712646



Ivory: CB  
-SA10 : 712653

AG-LC10 1.0L



Pink: PA  
-LC10 : 223890



MATTE SILVER: SM  
-LC10 : 223906

AG-KB10 1.0L Instruction Manuals JPN Export Exclusive Item



White: WB  
-KB10 : 023596024243 (UPC)\*



Black: BA  
-KB10 : 023596024120 (UPC)\*

\*This product has a UPC code instead of a JAN code



Dishwasher  
Safe  
(except lid)

AFFB-10E 1.0L /13E 1.3L /16E 1.55L /19E 1.85L Export Exclusive Item



SATIN LEAF: XS  
-10E : 718723  
-13E : 718730  
-16E : 718747  
-19E : 718754



Twist Open

SLE-1000E 1.0L /1300E 1.3L /1600E 1.55L /1900E 1.85L Export Exclusive Item REACH Compliant



Satin Leaf: XS  
-1000E : 704627  
-1300E : 704634  
-1600E : 704641  
-1900E : 704658



360°  
Swivel Base  
(SLE-1600E & 1900E)

Model No.	AH-EAE10	AH-FAE10	AGYE-10	AGYE-13	AGYE-16	AGYE-19	AH-SA10	AG-LC10	AG-KB10		AFFB-10	AFFB-13	AFFB-16	AFFB-19	AFFB-10E	AFFB-13E	AFFB-16E	AFFB-19E	SLE-1000E	SLE-1300E	SLE-1600E	SLE-1900E
Features	Push-Type	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●				
	Easy Touch										●	●	●	●	●	●	●	●				
	Lever-Style								●													
	Twist Open																		●	●	●	●
	Coffee Dripper										●	●	●	●	●	●	●	●				
Capacity (liters)	1.0	1.0	1.0	1.3	1.55	1.85	1.0	1.0	1.0		1.0	1.3	1.55	1.85	1.0	1.3	1.55	1.85	1.0	1.3	1.55	1.85
Packing (pcs./carton)	6	12	12	12	12	12	12	12	12		12	12	12	12	12	12	12	12	12	12	12	12
Weight	Net (kgs.)	7.5	12.0	11.5	12.5	14.0	15.5	12.0	11.5	12.0	12.0	13.0	14.5	16.0	12.0	13.0	14.5	16.0	11.5	13.0	14.5	16.0
	Gross (kgs.)	8.5	13.5	12.5	14.0	15.5	17.0	13.0	12.0	13.0	13.0	14.5	16.0	17.5	13.0	14.5	16	17.5	13.0	14.5	16.0	17.5
Measurement (m³)	0.052	0.104	0.088	0.102	0.115	0.125	0.107	0.084	0.085		0.090	0.099	0.110	0.121	0.090	0.098	0.111	0.191	0.094	0.100	0.105	0.109
Replacement Glass	FTV-1000	FTV-1000	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	FTV-1000	FTV-1000	FTV-1000		FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900
Unit Size*	14.5×19×27.5	14×18×27.5	13.5×17×27.5	13.5×17×31	15×18.5×30	15×18.5×33	13.5×19.5×29	13.5×17×27.5	14×17×28		13.5×17.5×27	13.5×17.5×30.5	15×18.5×29.5	15×18.5×32.5	13.5×17.5×27	13.5×17.5×30.5	15×18.5×29.5	15×18.5×32.5	13.5×18×27	13.5×18×30.5	15×19.5×29	15×19.5×32
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN		JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

\*Listed external dimensions: width x depth x height in cm (approximate).  
●Do not place in dish washer or dish dryer.



Catering Products

Air Pots

**Press Down**

Just press lightly to dispense hot water.



**Lever-Style**

The lever-style pump makes it easier on the wrist to pump.



Handy Pots

**Twist Open**

Twist to open and close.



**Push-Type**

Just press lightly to open and close the stopper.



**Easy Touch**


Just press lightly to open and close the stopper.




**Fold Down Handle**


**360° Swivel Base**


**Pump Lever Safety Lock**

**Wide Body With Long Nose**

**Tilt Leak Prevention**  
Has safety valve to minimize hot water spillage.

**Detachable Lid**

**Detachable Stopper**

**Detachable Lid & Stopper**

**Coffee Dripper**

**Without Stopper**

**Detachable Lid & Brew-Thru Stem Stopper**



NSF Certified: NSF is an organization that ensures safe designs and cleaning of commercial appliances and tools. NSF certifies that all products bearing its mark complies with all industry standards and regulatory requirements.



NSF Component: This mark indicates that the product as a component is certified by NSF, while it may not in itself be a complete product.



ETL Sanitation Listed: This mark certifies compliance to appropriate ANSI/NSF standards for products sold in the US and Canada. The mark approves the use of the equipment for food production for human consumption.



Creamer/Dairy Server

**Stainless Steel Liner**

**SH-MAE10** 1.0L **Export Exclusive Item** **Limited Stock**

Instruction Manuals **JPN**

**For Cold Beverages**



Always Open Lid  
(Tilt only ready to serve.  
without twisting the lid.)



Easy to Clean



Stainless: XA  
-MAE10 : 710833

French Press

**Stainless Steel Liner**

**SK-XAE10** 1.0L **Export Exclusive Item**

Instruction Manuals **ENG** **FRE** **SPA**





Stainless: XA  
-XAE10 : 716958

Model No.	SH-MAE10	SK-XAE10	ABF-30S	AAPE-19S	AAPE-22SB
Capacity (liters)	1.0	1.0	3.0	1.85	2.2
Packing (pcs./carton)	6	6	6	8	6
Weight	Net (kgs.)	4.7	6.5	13.5	9.5
	Gross (kgs.)	5.1	7	14.5	11.0
Measurement (m³)	0.035	0.05	0.125	0.101	0.080
Replacement Glass	—	—	FABF-30	FSLD-1900	FSK-2200
Unit Size*	11x15.5x28.5	12x17x23	18.5x25.5x38	15.5x20x37	15.5x20x38.5
Country of Origin	THAILAND	CHINA	JAPAN	JAPAN	JAPAN

\*Listed external dimensions: width x depth x height in cm (approximate). •Do not place in dish washer or dish dryer.

Air Pots

**Press Down**

**ABF-30S** 3.0L **Limited Stock**

Instruction Manuals **JPN**



Stainless Steel: XA  
-30S : 127556



Fold Down Handle  
Detachable Lid  
360° Swivel Base  
Without Stopper  
Lock  
Pump Lever Safety Lock  
Tilt Leak Prevention

**AAPE-19S** 1.85L **Export Exclusive Item** **REACH Compliant**



Stainless: ST  
-19S : 700247



Fold Down Handle  
360° Swivel Base  
Lock  
Pump Lever Safety Lock  
Detachable Lid & Stopper

**AAPE-22SB** 2.2L **Limited Stock** **Export Exclusive Item**

**•Brushed Stainless Finish**



Stainless: XA  
-22SB : 023596035447 (UPC)\*  
\*This product has a UPC code instead of a JAN code



Fold Down Handle  
360° Swivel Base  
Lock  
Pump Lever Safety Lock  
Detachable Lid & Brew-Thru Stem Stopper

**VRKE-30S** 3.0L **Export Exclusive Item** **REACH Compliant**

**•Comes with a stainless steel stem stopper**



Stainless: XA  
-30S : 700971



Fold Down Handle  
Wide Body With Long Nose  
360° Swivel Base  
Detachable Stopper  
Lock  
Pump Lever Safety Lock

**Stainless Steel Liner**

**SGA-30** 3.0L

Instruction Manuals **JPN**

**•Comes with a stainless steel stem stopper**



Stainless: XA  
-30 : 117618



Fold Down Handle  
Detachable Lid & Stopper  
Lock  
Pump Lever Safety Lock

**Lever-Style**

Stainless Steel Liner

**SR-AG30** 3.0L /38 3.8L **Export Exclusive Item**

**•Brew-Thru Stem Stopper**  
**•Comes with a stainless steel stem stopper**



Stainless: XA  
-AG30 : 702227  
-AG38 : 708021



Fold Down Handle  
Detachable Lid & Brew-Thru Stem Stopper  
Lock  
Pump Lever Safety Lock

Model No.	VRKE-30S	SGA-30	SR-AG30	SR-AG38
Capacity (liters)	3.0	3.0	3.0	3.8
Packing (pcs./carton)	6	6	6	4
Weight	Net (kgs.)	12.0	12.5	11.2
	Gross (kgs.)	13.5	13.5	12.2
Measurement (m³)	0.113	0.086	0.103	0.086
Replacement Glass	FAAV-30	—	—	—
Unit Size*	18.5x23.5x38.5	18x21x36	18x21x39	18x21x43
Country of Origin	JAPAN	JAPAN	CHINA	CHINA

# Handy Pots



Twist Open

AHGB-10S 1.0L /13S 1.3L

Export Exclusive Item REACH Compliant

•Large Handle



Stainless: XA  
-10S : 700926  
-13S : 700933



Coffee Dripper



Push-Type

AGYE-10S 1.0L /13S 1.3L /16S 1.55L /19S 1.85L

Export Exclusive Item REACH Compliant

•Brushed Stainless Finish



Stainless: XA  
-10S : 701350  
-13S : 702111  
-16S : 702128  
-19S : 702135



360°Swivel Base (AGYE-16S & 19S)



Easy Touch

AFFB-10S 1.0L /13S 1.3L /16S 1.55L /19S 1.85L

Export Exclusive Item REACH Compliant

•Brushed Stainless Finish



Stainless: XA  
-10S : 700728  
-13S : 700735  
-16S : 700742  
-19S : 700759



360°Swivel Base (AFFB-16S & 19S)



Coffee Dripper



Twist Open

BHS-1900/19SB 1.85L

Export Exclusive Item REACH Compliant



Brew-Thru Lid allows direct brewing (only for BHS-19SB)



Stainless: ST  
-1900 : 700704



Stainless: XA  
-19SB : 023596134447 (UPC)\*  
\* This product has a UPC code instead of a JAN code



SLE-1000N 1.0L /1300N 1.3L /1600N 1.55L /1900N 1.85L

Export Exclusive Item REACH Compliant



360°Swivel Base (SLE-1600N & 1900N)



Stainless: ST  
-1000N : 705662  
-1300N : 705464  
-1600N : 705679  
-1900N : 705471

Model No.		AHGB-10S	AHGB-13S	AGYE-10S	AGYE-13S	AGYE-16S	AGYE-19S	AFFB-10S	AFFB-13S	AFFB-16S	AFFB-19S
Capacity (liters)		1.0	1.3	1.0	1.3	1.55	1.85	1.0	1.3	1.55	1.85
Packing (pcs./carton)		12	12	12	12	12	12	12	12	12	12
Weight	Net (kgs.)	10.5	12.0	11.5	12.5	14.0	15.5	12.0	13.0	14.5	16.5
	Gross (kgs.)	11.5	13.0	13.0	14.0	15.5	17.0	13.5	14.5	16.0	18.0
Measurement (m³)		0.081	0.101	0.083	0.102	0.115	0.125	0.091	0.101	0.115	0.125
Replacement Glass		FTV-1000	FSU-1300A	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900
Unit Size*1		13.5x18x26.5	13.5x18x30	13x17x27.5	13.5x17x31	15x18.5x30	15x18.5x33	13.5x17.5x27	13.5x17.5x31	15.0x18.5x30	15x18.5x33
Country of Origin		JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

Model No.	BHS-1900	BHS-19SB	SLE-1000N	SLE-1300N	SLE-1600N	SLE-1900N
Capacity (liters)	1.85	1.85	1.0	1.3	1.55	1.85
Packing (pcs./carton)	12	12	12	12	12	12
Weight	Net (kgs.)	14.5	11.5	13.0	14.5	16.0
	Gross (kgs.)	16.0	13.0	14.5	16.0	17.5
Measurement (m³)	0.106	0.108	0.094	0.100	0.105	0.109
Replacement Glass	FSLD-1900	FSLD-1900	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900
Unit Size*1	15x18.5x31	15x18.5x31	13.5x18x27	13.5x18x30.5	15x19.5x29	15x19.5x32
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

\*1. Listed external dimensions: width x depth x height in cm (approximate).  
•Do not place in dish washer or dish dryer.

# Beverage Dispensers



Pours straight down into placed cup  
Main unit detaches from stand with the press of a button for easy cleaning.




Brew-Thru lid with mesh filter



Sight gauge easily detaches for quick cleaning.



LEGAYAE-12  
Taller serving base also available for AY-AE25/25N, SY-AA25/25N.



\*\*Height measured with taller serving base, LEGAYAE-12.

## Stainless Steel Liner

SY-BA60/60N 6.0L

Export Exclusive Item REACH Compliant

- Large Capacity 6L
- Detachable Serving Base
- High Impact Plastic Body Resists Dents And Corrosion
- Fold Down Handle For Easy Transport
- Removable Drip Tray
- Brew-Thru Lid
- Easy to check water level gauge



Black: BA  
-BA60N : 712059



Black: BA  
-BA60 : 711441

AY-AE25/25N 2.5L

Export Exclusive Item REACH Compliant

- Detachable Serving Base
- High Impact Plastic Body Resists Dents And Corrosion
- Fold Down Handle For Easy Transport
- Removable Drip Tray
- Brew-Thru Lid
- Easy to check water level gauge



Black: BA  
-AE25N : 707987



Black: BA  
-AE25 : 707970

## Stainless Steel Liner

SY-AA25/25N 2.5L

Export Exclusive Item REACH Compliant

- Detachable Serving Base
- High Impact Plastic Body Resists Dents And Corrosion
- Fold Down Handle For Easy Transport
- Removable Drip Tray
- Brew-Thru Lid
- Easy to check water level gauge



Black: BA  
-AA25N : 707994



Black: BA  
-AA25 : 706157

# Food Containers

RDS-400\*2 10.8L /600\*2 16.2L

•Non-Electric Large Size Food Container



Stainless: ST  
-400 : 016331



Stainless: ST  
-600 : 016355

Model No.	SY-BA60	SY-BA60N	AY-AE25	AY-AE25N	SY-AA25	SY-AA25N	RDS-400	RDS-600
Capacity (liters)	6.0	6.0	2.5	2.5	2.5	2.5	10.8	16.2
Packing (pcs./carton)	1	1	6	6	6	6	2	2
Weight	Net (kgs.)	8.5	6.0	14.5	10.0	14.5	11.0	13.0
	Gross (kgs.)	—	—	15.5	11.0	16.0	12.5	14.5
Measurement (m³)	0.110	0.070	0.146	0.100	0.146	0.100	0.104	0.128
Replacement Glass	—	—	FVPA-2500	FVPA-2500	—	—	—	—
Unit Size*1	26x37.5x59.5	26x34.5x36.5	20x22.5x43.5	18.5x22x30	20x22.5x43.5	18.5x22x30	46x38x27	46x38x34
Country of Origin	CHINA	CHINA	TAIWAN	TAIWAN	TAIWAN	TAIWAN	JAPAN	JAPAN

\*2. Foam Insulation